


A WEEKLY JOURNAL OF PRACTICAL INFORMATION ART, SCIENCE MECHANICS, CHEMISTRY, AND MANUFACTURES.

ESTABLISHED 1845.

NEW YORK, MAY 8, 1897.

[\$3.00 A WEAR. WEEKLY.



THE NEW YORK AND LONG ISLAND BRIDGE AT BLACKWELL'S ISLAND, NEW YORK CITY.—[See page 204.]

Scientific American.

ESTABLISHED 1845

MUNN & CC., - - - EDITORS AND PROPRIETORS.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, - - NEW YORK.

TERMS FOR THE SCIENTIFIC AMERICAN. (Established 1845.)

The Scientific American Supplement (Established 1876)

stinct paper from the SCLENTIFIC AMERICAN. THE SUPPLEMENT tool weekly. Every namber contains its octave pages, uniform in size SCLENTIFIC AMERICAN. Terms of subscripte to for SCLEPTER SCLENTIFIC AMERICAN. Terms of subscripte on for SCLEPTER SCLENTIFIC AMERICAN. The sign countries belonging to the Postal Union. Single couples ill cents, or all newsdealers throughout the country. See prospectus, last page, while the scheme of the sche

Building Edition of Scientific American. (Established 1885.)

(Established 1885.)

The Rulling Entition of the Schwiffler American is a large and plendidly illustrated periodical, issued monthly, containing floor plans and perspective views pertaining to modern architecture. Each number illustrated with beautiful places, showing destrable dwellings, public additions and architectural work in great variety. To architects, builders, Single copies 20 cents. By mail, to any part of the United States, Canada & Mexico, \$1.20 a year. To foreign countries, \$1.00 a year, or \$1.05, 40, one address, \$5.00 a year, or \$1.05, 40, one address, \$5.00 a year, or \$1.05, 40, insulated the Linker Entition with Schwiffler American, to see address, \$5.00 a year, or \$1.05, 40, insulated rate for Sulfilling Spiriton, Schwiffler American, and UPPLEMENT, \$5.00 a year. To foreign countries, \$1.00 a year, or \$2.55, 21, ontage prepaid.

Export Edition of the Scientific American (Established 1878)

With which is incorporated "LA AMERICA CENTIFICA E INDUSTRIAL."
or Spanish edition of the SCIENTIFIC AMERICAN, published monthly,
reflected by the SCIENTIFIC AMERICAN, published monthly,
nations in size and typography with the SCIENTIFIC AMERICAN, Extry
number contains about HB pages, profusely illustrated. It is the finest
stentific industrial export paper published. It circulates throughout
haba, the West Intiles, Mexico, Central and South America, Spain and
hanniap possessions—wherever the Spanish language is spoken. The
\$CIENTIFIC AMERICAN EXPORT EDITION has a large guaranteed circulasoun in all commercial places throughout the world. \$6.00 a year, or
\$W Das \$4.\text{c}\$, postpaid to any part of the world. Simple copies, \$2 \text{cents}\$,
\$CIENTIFIC AMERICAN EXPORT EDITION has a large guaranteed circulasoun in all commercial places throughout the world. \$6.00 a year, or
\$W Das actes way to remit is by postal order, express money order,
traft or bank check. Make all remittances payable to order of MUNN
& UN.

Readers are specially requested to notify the publishers in case of dure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, MAY 8, 1897.

Cor tents.

THE PERSON OF PE		
Balloon vorage, Andreo's 28 Bicycle bridge, a \$23.9	May flower, los of the? 288 Naval parade, Grank monument Morth Fole, Andrew's efforts 1306 North Fole, Andrew's efforts 1306 North Fole, Andrew's efforts 1306 Palace on the Bosphorus* 297 Fatent and trade mark decisions 204 Fatents granted. 297 Fatents granted. 297 Fatents granted. 298 Flextograph, a remarkable. 298 Flextograph, a remarkable. 298 Sceds, free distribution of. 298 Sun, the. 256 Telegraphy, high speed. 298 V essel, the fastest affoat. 298 War in the East, they 297 War measures in peace time. 297 War in the East, they 297 War measures in peace time. 297	

TABLE OF CONTENTS OF

Scientific American Supplement

No. 1114.

For the Week Ending flay 8, 1897.

Price 10 cents. For sale by all newsdealers.

	PAG
J. ASTRONOMY.—Variation of Latitude and Constant of Aberra- tion from Observations as Columbia. University.—By J. K. REES, H. Jacoby, and H. S. Davis.—Aggregate determination of the latitude of the observatory of Columbia University.	
 MOLOGY. The Position of the Tarside and Relationship to the Phylogeny of ManBy THEODORE GILLAbstract of a recent paper read before the National Academy of Sciences. 	1781
HI. CYCLING.—Change of Genr for Bieycles.—Archereau's multi- speed bicycle genr.—A French offort at solving a difficult problem. —3 illustrations.	1700
V. ELECTRICAL ENGINEERING.—The Synchronograph.—By Dr. A. C. CREMORE and Lieux. GEORGE O. SQUIKE.—An interesting article on a new method of transmitting intelligence by the sitemating current.—12 illustrations. Electrical Engineering in Germany.	1788
V. GEOLOGY.—On Recent florings in Coral Reefs.—Darwin's theory of the formation of coral reefs by subsidence probably confuted. —Bight thickness of coral formations.	1781
VI. MILITARY TACTICS.—Dogs in War.—The general use of dogs in the Continental armise, with notes on the dogs used in different armise.	1799
VII. MISCELLANEOUS.—A Silver Paiace for Omaha.—A great attraction for the Trans. Mississippt Exposition for next year.—A paiace 400 feet square covered with rolled silver. The Direct Turtish War.—The Eastern question discussed.	1700
An interesting review of the International phases thereof and pedes on the operations of war.— Unsated as. Note on the United States Mint. Engineering Notes. Electrical Notes. Miscolinacous Notes.	1786 1786 1786 1786 1786
VIII. NAVAO, ENGINEERING, - Ascertaining the Stability of	1780
Stitus.—A mechanical method of ascertaining the statical stability of whose. —By Mr. A. S. Ban Made, Member J. N. A.—A mimple apparatus for ascertaining by experiments on sectional models the stability of ships.—8 theyrations. Comparison of the Stability of the Alabama and the Prince George.—Interesting discussion of the stability of recent war ships and how to increase it, to an adequate extent.—The use of	1780

XII. TECHNOLOGY.—Hat Making in Italy.—A very interesting on the manufacture of hate of different classes worn in Italy.

A GRACEFUL ACT OF INTERNATIONAL COURTESY.

We mentioned in our previous issue that the manuscript log of the Mayflower had been delivered to the United States through its representative, Ambassador Bayard, on an order given in the Consistory Court of London. In this issue we present our readers with a photographic reproduction of this priceless relie, which, in point of its unrivaled historic interest, may be said to stand quite alone.

The manuscript volume of the log, at the time of the petition for its removal to the United States, formed part of the library of Fulham Palace, the residence of the Bishop of London, and among the precedents which were quoted on behalf of the petition was the case of the Library Company of Philadelphia. This company discovered that certain manuscript volumes presented to the library in 1799 formed part of the national archives of Great Britain, as was proved by the fact that they consisted of official correspondence which bore the sign manual of James I and of Elizabeth. The volumes were at once restored to Great Britain, and the Master of the Rolls, Lord Romilly, into whose official care they passed, acknowledged the great obligation under which the British nation had been placed, and expressed his conviction that such acts of courtesy and friendliness would tend to draw closer the ties connecting the two countries.

The return of the log of the Mayflower to this country has been made with the same readiness and in the same friendly spirit which characterized the Philadelphia transfer, and, if anything, we are placed under an even greater debt of obligation than that which Lard Romilly acknowledged on behalf of England in the previous instance. Without depreciating in the least degree the generous spirit in which the Philadelphia transfer was made, it may be pointed out that the British archives which were voluntarily surrendered related to England alone, and had no historical interest to connect them with this country. The records of the Mayflower, on the other hand, have naturally a great intrinsic interest for the English people, as being the story of the struggles of early English colonists who had the full sympathy of the middle English classes, from which they came and of whose sterling qualities they were faithful exponents.

The fact that there was no opposition to the request of Ambassador Bayard, and that, after this valuable document had been over a century in their undisputed possession, it should be so freely surrendered at our first request, is another striking evidence of the friendly feeling unselfishly entertained by the English people toward this country.

FREE DISTRIBUTION OF SEEDS BY THE GOVERNMENT.

There is a growing agitation against what is known as the free distribution of seed by the government. The system is too well known to the majority of our readers to need any explanation; but for the benefit of city residents it may be said that the government has been in the habit of doling out annually to Congressmen for distribution among their constituents about \$140,900 worth of seeds. This has been done with the expressed object of securing reports from the users as to the results obtained. Whatever theoretical advantage there may have been in the proposal, it has failed utterly to produce any practical results, and according to all reports the experiment has degenerated into a positive farce. The United States Agricultural Department in its report on this subject says: "While one purpose of the law was to secure reports from the receivers as to the results of actual experiment, the reports actually received did not amount to one-hundredth of one per cent of the persons supplied. A careful review of the department reports, especially those of the chiefs of the seed division during the past decade, in which over \$1,000, 000 was expended for free seed distribution, fails to reveal a single instance of benefit to agriculture attributable to this distribution." In the face of this official statement, one asks with no small amount of bewilder ment, why did the last agricultural bill, which recently passed both houses of Congress, contain an appropriation of \$150,000 for earrying on this palpable folly? If Congressmen can see any sound ethical or political reasons for a paternal distribution of seeds, why should they stop just here? Why not appropriate another \$150,000 for spades, plows and fertilizers? As a matter of fact, the system is wrong in be hoped that this year will see the last of it.

THE FASTEST VESSEL AFLOAT.

It is a great triumph for the "rotary impact" form of steam engine that the first one of this type fitted to a steamship should have driven it at a speed far in excess of the world's record, yet this is what has recently been achieved by the engines of the torpedo boat Turbinia. This little vessel of 100 feet length, 9 three stages and has shown remarkable economy, an dot, and a break lasting from the beginning of a posi-

engine of this type which is at work in the electric works, Cambridge, England, having achieved a consumption of 15.1 pounds of steam per indicated horse power per hour. The Turbinia was at first fitted with a single engine and screw, and in the trials the "cavitation," or vacuum formed behind the propeller, was such that very disappointing results followed. single turbine was removed and replaced by three separate turbines directly coupled to three screw shafts. the turbines being respectively the high pressure, in-termediate and low pressure elements of a triple expansion engine. The results were truly remarkable, a speed of 29 6 knots being realized. After further experiment to determine the proper pitch for the screws, a series of trial runs were made on April 1 of this year, when a mean speed of 31 01 knots an hour was realized. The particulars of the run were as follows:

Revolutions of engines (mean)	,100
Steam pressure	900 lb.
Thrust, horse power (calculated)	946
Indicated " "	,576
Consumption of steam per indicated horse power per	
bear	15 86
Indicated horse power per ton of total machinery	79.1

Nine days later the Turbinia realized a speed of 82% knots an hour, thus surpassing the world's record by about a knot and a half. This is equivalent to 87% miles an hour, or equal to the average speed of many so-called express trains.

WAR MEASURES IN TIME OF PEACE.

The naval armor question seems to be getting into a state of hopeless entanglement, and the proposal of Senator Chandler that the government shall forcibly seize the plant of the Bethlehem Iron Company and proceed to make its own armor plate therewith simply makes "confusion worse confounded." The law by which the government would be enabled to take posession of these works for the manufacture of war material is intended to cover cases of emergency in time of war; but it has never been construed to give the government the same right in a period of profound peace such as the present. It is reassuring to learn that the bill is likely to receive very little, if any, support. Secretary Long's letter to Congress relative to the bids in answer to the department's advertisement of March 10 states that the department did not feel justified in accepting or rejecting the bid of the Illinois Steel Company, and points out that the government is liable to incur heavy expense due to the delay in furnishing armor for the three battleships recently laid down, if some steps are not immediately taken to procure the eneeded supply. The secretary closes recommending that authority be given the department to make contracts at a price not exceeding \$400 per ton, "the rate recommended by my predeces This figure was arrived at as being a just price after the question had been carefully investigated by a board of experts, and under the circumstances it looks as though the recommendation of Secretary Long was the easiest way out of the deadlock.

HIGH SPEED TELEGRAPHY,
By making use of the alternating current and special designs of receiver and transmitter, two well-known American specialists have succeeded in sending messages over a wire at the rate of twelve hundred words a minute, and they confidently assert that between three thousand and six thousand words a minute may be dispatched by the same system between points that are a thousand miles apart. The new telegraphy marks a wonderful advance over existing methods. An operator using the Morse key sends only forty words a minute, and by the Wheatstone system about one hundred and fifty words can be sent over a single wire in the same time.

This epoch-marking invention, which, if it fulfills its early promise, will rank as one of the greatest of the century, is the result of the joint labors of Lieutenant G. O. Squier and Prof. A. C. Crehore, and it was first announced in a paper which was read at the New York meeting of the American Institute of Electrical Engineers on April 20. The paper, with complete illustrations, is published in the current issue of the SUPPLEMENT, and it will be found to be one of the most valuable contributions ever made to the literature upon this subject.

The new scheme, as we have said, uses an alternating in place of a constant current. In the latter, a break in principle as well as a failure in practice, and it is to the contact of two wire terminals causes the emission of a spark; but if an alternating current be broken at the zero line, that is just where the alternation takes place between a positive and negative wave, there will be no spark. The Squier and Crehore device takes advantage of this feature and interrupts and restores the current at the zero points of oscillation. The operator adjusts his instrument until the sparking disappears, at which point he knows that its action is synchronous with the frequency of the current employed. Hence these genfeet beam, and 44% tons displacement, was built at tlemen have given their telegraph the name of syn-Newcastle, England, specially for a marine trial of the chronograph. If the Morse alphabet of dots and dashes compound steam turbine designed by the Hon. Charles is employed, a break in the current lasting from the be-Parsons. The Parsons turbine utilizes the steam in ginning of a positive wave to its end would signify a tive wave to the end of the following negative wave signify a dash. The interruption must last just a cycle or a whole eyele, a positive and a negative together constituting a cycle. The intervals ben dots and dashes must also, of course, be either

cycles or multiples of a half cycle.

transmitter in the experiments consisted of a w wheel with a flat metallic periphery, which was ated at a high rate of speed, which was such that it an exact multiple of the length of one cycle. The ent was transmitted to the wheel by two metallic hes, which were arranged side by side in contact the periphery of the wheel. It is evident that the nt would ordinarily flow from one brush through wheel to the other brush; but if a strip of insulatti: material were pasted on the wheel in the line of one in, every time it came round and passed under that br: bru-h the current would be broken. A strip of paper was perforated with holes of various length corresponding to the Continental Code, which was used in the experiments, and it was carried over the wheel in much the same way as a belt is by a pulley. Just as long as the brushes were separated by the paper the current was intercepted, and whenever the brush reached a hole and touched the wheel the current was restored. The breaks and contacts were arranged so as to occur exactly at the zero point of the alternations, as explained above, so that no sparking occurred.

The receiver was the polarizing photo-chronograph which Messrs. Squier and Crehore designed for use in timing the flights of projectiles. This ingenious instrument was fully described in a paper contributed to the SCIENTIFIC AMERICAN SUPPLEMENT by these gentlemen and published in the issue of January 2, to which our readers are referred for the full details and illustrations. The current in this instrument passes through a coil of wire which surrounds an instrument called an "analyzer." A ray of polarized light from an arc lamp passes through a series of lenses, and when no current is flowing the analyzer is in such a position as to shut out the ray. When the current passes through the coil the plane of polarization is rotated in such a way as to permit the light to pass again, and the very rapid flashes of light are recorded

upon a photographic plate. The paper of Messrs. Squier and Crehore closes with a suggestion as to the changes that will be effected by introducing a telegraph postal system. It is estimated, for instance, that it would require only two lines working on their system, if they were in continuous operation, to handle the entire postal business between New York and Chicago, which amounts to about 40,000 letters daily. By the present system it takes three days to receive a business reply between the cities named, but by the aid of machine telegraphy working at the

rate of 3,000 words a minute, a letter could be sent and a reply received on the same day,

Our readers will recognize in this proposal some of the features of the Delany system, and the inventors of the "synchronograph" have given very generous credit to this ingenious system in the course of the paper under discussion.

OUR SALTPETER CAVES IN TIME OF WAR.

Saltpeter, literally rock salt, chemically potassium nitrate, also known as niter, is remarkable for storing oxygen in a solid form. One volume of it has three thousand times as much oxygen as a like volume of atmospheric air. At a certain degree of heat this immense quantity of oxygen combines violently with carbon, thus forming carbonic acid gas, and also setting free a quantity of nitrogen. Gunpowder contains about 75 parts of niter to 15 of charcoal and 10 of sulphur. If ignited in vacuo, the powder quietly resolves itself into gas. But in the chamber of a gun, behind a ball, it explodes with energy and hurls the missile with deadly effect. For this reason saltpeter is essential to any nation engaged in warfare.

Edward Rawson was the first to attempt the manufacture of gunpowder in the New England colonies. In 1639 the General Court of Massachusetts granted him five hundred acres at Pequod, "so he go on with the business of powder, if the saltpeter come." By act of June 14, 1642, all towns and families were ordered to promote the manufacture of saltpeter. But nothing was accomplished, and in 1648 the General Court voted to indemnify Rawson for his losses in the experiments saltpeter is the nitrate of potash.

I am indebted to Mr. R. N. Toppan for this

Prof. W. B. Rogers holds that Rawson was deputy from Newbury, and secretary of

the colony.

At the opening of the revolutionary war the mili-Quarry Hill, near Medford, Mass, where they had two hundred and fifty barrels of powder, which was seized by the British on September 1, 1774. The act set the country aflame, and stirred the indignation of Burke, Pitt and Fox. After the news from Lexington and Concord, in 1775, the colonies were scoured for powder, and less than sixty-eight barrels were found. New

troops, he only got its money value and not the pow-When Washington took command of the troops raised by the colonies he "made the alarming discovery that there was not more powder than sufficient to furnish each man with nine cartridges. By great address this dangerous deficiency was concealed from the enemy." (Holmes' Annals, vol. ii, p. 240.)

It is remarkable that no American history, so far as I know, tells us whence the robbed and impoverished colonies got their powder wherewith to wage the war of the revolution. A similar gap exists concerning the war of 1812, when an embargo cut us off from foreign supplies. We are told about almost everything else, but not where we found our saltpeter. That question is now answered.

Among those who resisted the tyranny of Lord Dunmore in stealing the ammunition of Virginia were two young men named Thomas Jefferson and James Madison. They were not only patriots and statesmen, but were also cave hunters. Among the caves found by Jefferson was one that he named for his friend, "Madison's Cave," located in the Grottoes Ridge, in which also occur Weyer's Cave and the Cave of Fountains. geologist, is my authority for saying that Madison's Cave was mined for saltpeter during the three great wars, of the revolution, of 1812, and of the rebellionprobably the only cave on the continent of which that can be said. But Jefferson found many other and richer saltpeter caves, which he describes in his "Notes on Virginia," page 44. He says that one of the largest was on Rich Creek, a branch of the Kanawha, from which more than eleven thousand pounds of niter were obtained. Others were on the Cumberland River, and at least fifty were in the Greenbrier Valley, in one of which Jefferson found the typical megalonyx made famous by Cuvier. His account is all the more valuable because written while the war of the revolution was going on, and thus showing us whence the patriots obtained their means to carry it forward. To a limited extent gunpowder was seized from the enemy, and a few pounds of saltpeter were made from excavations under old stables, and by artificial processes, but the bulk of it undoubtedly came from the caves of

Virginia. Kentucky was originally set off from Augusta County, Virginia, as Kentucky County, in 1776, and was made a State in 1792. Among its early settlers were strolling chemists who knew of the caves in the Greenbrier Valley and elsewhere, and hunted for similar ones in the newly organized State. They were richly rewarded. Under ledges, in "rock houses" and "rock castles," they found solid masses of niter weighing from 100 to 1,000 pounds. Previous to 1800 there had been found 28 saltpeter caves in Kentucky, from which more than a journey of 1,000 miles on horseback, in 1806, in order to lay them before the American Philosophical Society at Philadelphia. He closed his able paper, probably the first of its kind, with these words: "A concern for the glory and defense of our country should prompt such of our chemists as have talents and leisure to investigate this interesting subject. I suspect that we have much to learn with regard to this salt, so valuable in time of peace, so indispensable in time of war." The

of war was nearer at hand than he may have that what he termed the Great Cave contained 1,000,000 pounds of saltpeter; Scott's Cave, 200,000; Davis' Cave, 50,000; three others not named, 30,000. Since then the Mammoth Cave has been discovered, and the Wyandot Cave and others in Indiana, and the niter fever almost authority of Flint's Geography for the statement that, during the war of 1812-15, the annual yield of manufactured saltpeter from Kentucky alone was 400,000 pounds, besides what was made in Indiana, Tennesse and elsewhere. Part of this was used at home; but most of it was carried by ox carts, or on pack mules, across the Alleghanies to the seaboard to be used in making gunpowder.

The term "saltpeter caves" is a misnomer only justifled by the general usage. That which is found in these caves, and which is colloquially called "peter dirt," is soil impregnated with the nitrate of lime, whereas true

Prof. W. B. Rogers holds that the "peter dirt" is authentic information, not found in local histories.

Rawson was deputy from Newbury, and secretary of agrees with Dr. Samuel Brown's observation that the great Nicojack Cave, near Chattanooga, for the means water trickling from rocky crevices has the same properties as the liquor got by lixiviating the cave clay. tary stores of New England were mainly kept at Dr. Brown says: "The nitric acid is formed within the caves and is condensed upon the rocks, the lime of

The fact seems to have been generally overlooked that the strata of sandstone overlying the cavernous limestone is rich in niter. It was from this source that the first supplies of Kentucky saltpeter came. The process was to blast the sandrock and break it into have been possible. We doubt if victory could have York had but one hundred pounds. Lord Dunmore small fragments for the boilers, thus getting niter had seized the entire supply in Virginia, and when directly without the aid of lye. The reason it was Patrick Henry demanded its restoration at the head of given up was that the best sandrock was extremely ginia and Kentucky.

hard, because of the presence of iron, and it was practically easier and cheaper to treat the nitrous earth found

In order to give some idea of what was once a vital industry of our country, though now wholly abandoned, I shall briefly describe the work done at the Mammoth Cave, which may be taken as typical of the rest. This includes what was done at the Salts Cave and Dixon's Cave, belonging to the same estate. Cave was, at some prehistoric time, a part of the Mammoth Cave. As measured by me it is 1,500 feet long, from 60 to 80 feet wide, and about 100 feet high. The floor of this enormous hall is ridged by eighteen transverse rocky piles some 40 feet high and as many thick, ent by passageways for convenience. And every block and fragment of those massive ridges was laid there by the old saltpeter miners. By this means they got at the peter dirt to be carried outside for further treatment.

The main works, however, were at the entrance to the Mammoth Cave. Cart roads were made through the more accessible avenues, and from the more distant places, even from rooms three miles under ground, the negro miners brought the dirt in sacks. Hardly a yard Major Jed Hotchkiss, the veteran map maker and of the cave as then known was left undisturbed. Audubon Avenue was particularly rich in nitrous earth. So was Bat Avenue, near the end of which is the Crevice Pit, the ugliest black hole mortal ever looked into, and at whose bottom the men thought there must be a nitrous mine. The story has been often told of the miner's lamp dropped into that black chasm, and the sprightly negro let down as an animated plummet, who brought back, not the missing lamp, but a marvelous story whose truth was confirmed thirty years later by the discovery of the socalled Egyptian Temple. The Gothic Avenue was also diligently worked. The shovel and pick were plied from room to room of the main cave, and out through the windings of the Blue Spring Avenue. Abundant aboriginal relics were found.

The nitrous earth thus collected was put in hoppers with each a capacity of fifty bushels, and which are still to be seen in the rotunda and vicinity, a few hundred feet within the cave, where may also be seen the pumps and double set of wooden pipes, one set to bring water from the cascade at the mouth of the cave and the other to convey to the surface the liquor obtained by solution from the hoppers. The floors of the latter were peculiarly grooved to allow the saturated water to run into the basins, whence it was pumped out to the great iron boilers. When the lixiviated earth had been exhausted, it was cast aside and a new charge put into the hoppers. These piles of indurated earth extend for a long distance like miniature mountain chains. The liquor, after sufficient boiling, was poured into another set of hoppers containing wood 100,000 pounds of saltpeter had been obtained. These facts led Dr. Samuel Brown, of Lexington, Ky., to make nitrate of potash was obtained. This was again boiled down to the right condition for crystallization in troughs, whence, after twenty-four hours, the crystals were taken and packed for transportation.

The proportion of ashes to be used to the nitrified liquor was a source of much perplexity. Too much would "kill" the saltpeter, and too little would leave it "in the grease;" and in either case the salts would have to be run through the hopper again. Ashes from oak are three times as rich in potash as those from pine'; and only half as rich as those from elm or maple. Best thought, for it burst upon us in 1812, and we were cut of all were the ashes made by burning the dry wood in off from foreign supplies. Dr. Brown had estimated hollow trees, two bushels of which, according to Dr. Brown, were equal in strength to eighteen of oak ashes. It is stated that "the contract for the supply of the fixed alkali alone for Mammoth Cave, for the year 1814, was \$20,000." That, if correct, gives us an idea of the extent to which saltpeter was manufactured here in the rivaled the subsequent gold fever of 1849. We have the days when Gratz and Wilkins carried on the business exclusively for the Philadelphia market.

Many curious facts might be added as to the antieptic and sanitary value of the atmosphere in Mammoth Cave, which is both chemically and optically pure, except as tainted by torches. None of the deep pits contain foul air. Indeed, the interior air is purer than that which is exterior, showing that its purity is not due to ventilation, but probably to the disengaging of free oxygen in the formation of the nitrate of lime, a theory advanced by Professor Silliman.

In time of peace it is cheaper to import saltpeter from Chile, India and elsewhere than to make it at home. But when the Southern Confederacy was cut off by the blockade of all its ports, it resorted to the caves of Virof making gunpowder, the process being substantially like what has already been described.

It is strange that these interesting materials of American history seem to have completely escaped the attention of our best historians. It is certainly of historic moment that, when the fate of the nation trembled in the balances, the mineral contents of our numerous caverns enabled a waning force to gather new strength, and to prolong war far beyond what would otherwise been won in the war of the revolution, or in the war of 1812, without the aid of the saltpeter caves of Vir-


AN IMPROVED SMOKE CONSUMING FURNACE.

The accompanying illustrations represent, in side and transverse views, both partly sectional, a furnace which is designed to entirely abate the smoke nuisance, completely destroying all smoke and gases, while also being a great economizer of fuel. It is likewise especially adapted to consume the foul air and odors generated in the cremation of garbage in gas works, slaughter houses, limekilns, and all factories and places where

SMITH'S SMOKE CONSUMING FUR-NACE-CONDENSING AND GASIFY-ING CHAMBER.

objection a ble or dangerous gases are pro-duced. The improve ment has been patented by S. G. Smith, of No. 108 Fulton Street, New York City. The opening at the side of the ashpit, shown in the large view, is connected with a suitable air blast, to insure an interesting subject. an abundant supply of air for the fuel

burning on the grate, the products of combustion passing over the bridge wall and backward between pendent box-shaped water legs connected by transverse tubes, and also down around the mud drum, and upward to the rear of the boiler, and thence forward to the smokestack. The feed water is taken in from the front through a pipe formed in double curves in the top of the fire box, and is thence passed through the pendent water legs and their transverse pipes, and through the mud drum, thus promoting a rapid circulation and causing the water to be heated to a very high temperature before it is fed to the boilers, the water being also purifled and incrustation prevented, as the sediment settles in the mud drum. In addition to these features for promoting efficient combustion and the heating and circulation of the feed water, this furnace is provided with a special condensing and gasifying chamber which surrounds the forward end of the boiler and into which foul air, smoke, gases, etc., to be consumed may be passed by means of a pressure blower, whether they be drawn from the stack or from any other source. The foul air and gases, etc., are passed into one leg of this chamber, as shown in the small view, a jet of steam commingling with the air and gases in their course around the boiler to the point of discharge from the apertures over the grate bars, in the bridge wall and in one of the side walls of the furnace. this means complete control may be had of all the wasted at the stack, and all foul odors from any source Agriculture says that in France and Pennsylvania an



SMITH'S DEODORIZER AND SMOKE CONSUMING FURNACE.

may be destroyed at the same time that the efficiency way, cotton ginning mills, sugar factories, irrigation of the furnace is increased and a very considerable saving effected in fuel.

A VERY fine specimen of an egg of the great ank was recently sold by auction in London. Bidding began at 100 guineas and reached 280 guineas, at which price the egg was secured by Mr. T. G. Middlebrook.

Discovery of Telescopic Daylight Meteors.

Prof. William R. Brooks, director of the Smith Observatory, at Geneva, N. Y., made an jexceedingly interesting observation on Thursday afternoon, April 29. While making daylight observations of the planet

Mercury, then at its greatest elongation eastward from the sun, he discovered a flight of telescopic meteors passing through the field of the large telescope. This was between three and four o'clock, and the sun was shining brilliantly.

The flight lasted about half an hour, in which time over one hundred were seen

The meteors were as bright as Vega, or other brilliant stars, when seen through a large telescope, in the daytime. The direction of their flight was toward the

Science Notes.

In connection with the general meeting of the Verein Deutscher Strassen- und Kleinbahnverwaltungen, which will be held in Hamburg August 6 and 7 next, a street railway exhibition is intended lasting from August 5 to 9.

At a recent meeting of a German engineering society, according to the Electrical World, the topic of the evening was: "Elektroautomatischensicherheitspatenteisenbahnaborthuerenverschluss." It must have been

The famous Victor Emmanuel gallery at Milan is lighted in the evenings with rows of many hundred gas jets placed near the top, and the method of igniting these was an important question, says the Progressive Age. It was finally solved by using a miniature electric locomotive running on a track passing close to the burners. This locomotive carries an alcohol torch, and is made to run rapidly over the whole circuit after the gas has been turned on.

It is announced from the University of Geneva that Prof. Dussaud has invented an apparatus to enable the deaf to hear. The microphonograph magnifies the human voice in the same way that a lens magnifies. It is simply a telephone connected electrically with a phonograph, but a far more sensitive phonograph than Edison's ordinary model. A battery of one cell to sixty according to the degree of deafness, is used. Of course, the apparatus is useless in the case of absolute deafness, but such an infirmity is far rarer than is suspected. The London correspondent of the New York Sun, who describes this invention, says that 95 per cent of socalled stone deaf persons can be made to hear and understand by Dussaud's invention. Prof. Dussaud is preparing for the 1900 exhibition an apparatus which will enable 10,000 people who may all be deaf, in the common acceptance of the term, to follow a lecture.

When mine host in the ideal country inn, which all of us seek but none of us find, brings up a bottle of crusted wine covered with cobwebs and dust, this outward and visible sign is taken as convincing evidence of age. We grieve to have to record that the trust may now be misplaced. A bulletin (No. 7) of the Division products of combustion which might otherwise be of Entomology of the United States Department of


> industry has recently sprung up which consists of the farming of spiders for the purpose of stocking wine cellars, and thus securing almost immediate coating of cobwebs to new wine bottles, giving them the appearance of great age. This industry is carried on in a little French village in the Department of Loire, and near Philadelphia, where Epeira vulgaris and Nephila plumipes are raised in large quantities and sold to wine merchants at the rate of ten dollars per hundred. This application of entomology to industry is one which will not be highly commended.

> Professor Forbes, who had just returned from Wady Halfa, expresses a highly favorable opinion with regard to the utilization of the power of the cataracts for generating electricity, and considers the general circumstances of Egypt exceptionally well adapted for its use as motive power, says a cablegram from the Cairo correspondent of the Times. Irrigation could be extended as well as cheapened by the saving in cattle, and especially in coal, which becomes enormously dear in Upper Egypt, owing to the expenses of transport from Alexandria. Professor Forbes considers that the cataract power would be available all the year round for working the rail-

machines, etc., also that it could be supplied over distances of several hundred miles at a cost much below that of coal. Professor Forbes has just left for England, but will return in September to make a complete survey and present the government with a project for utilizing the electricity to be generated at the Nile cataracts.

AN EFFICIENT CHIMNEY COWL.

The illustration represents a simple and inexpensive chimney cowl, designed to readily accommodate itself to the wind, no matter in what direction it may be blowing. The device has been patented by August Hirschel, and is being introduced by W. H. Boatwright, P. O. Box 2296, New York City. Fig. 1 shows its application, Fig. 2 being a sectional view. The smokepipe has at its upper end an outwardly and




HIRSCHEL'S CHIMNEY COWL

downwardly extending flange, and within the pipe are two brackets forming bearings for the lower portion of a spindle which forms a pivot for and supports upon its upper end a conical cap. The pivot end of the spindle is received in a socket bearing on the inner side of the cap, the bearing being made of tough glass, porcelain, china, or other material of a character not likely to become quickly worn. To permit the cap to rise slightly, or yield a trifle to the force of the wind, without rising enough to cause the spindle to leave its bearing, chains lead down from the inner face of the cap to a ring loosely mounted below a collar or flange on the spindle. By this arrangement the cap will be tipped to the side presented to the wind, as shown in Fig. 1, until its lower edge engages the conical flange on the top of the smokepipe, and the wind will be deflected to either side and prevented from passing down the smokepipe, the cap remaining balanced on the spindle when there is no wind.

THE HALL BRASS PIPE WRENCH.

A wrench especially adapted for use on brass or nickel plated pipes, and with which the pipes may be turned without bruising or scarring them in the least, is shown in the accompanying illustration, and is being placed on the market by the Walworth Manufacturing Company, 18 Oliver Street, Boston. Bushings for the different sized pipes, as shown in the small figures, are placed between clamping blocks, the inner one of which has limited movement within a yoke piece, through a screw threaded opening in one end of which extends the screw threaded end of a handle rod, by means of which the bushing may be clamped upon a pipe and any desired amount of friction applied by turning the handle. The clamping blocks are finished true and smooth, and with the tool is furnished a set of bushings for different sizes of pipe. The end block is held in place by a slot and pin in the yoke, but may be



easily slipped in and out. The friction of this wrench is said to be so perfect that it can be used upon the most highly polished pipes without injuring them in the least, while it can also be applied to threaded brass nipples without injuring the threads.

THE Pintsch system of gas lighting has now been introduced in the Sixth Avenue trains of the Manhattan Elevated Railroad, in New York; three hundred cars have been equipped with it. It is a complete success, and a vast improvement over the old system of lighting by oil lamps. It took some years of newspaper agitation, supplemented by an act of the legislature, however, to compel the company to make the change.

A NINE HUNDRED DOLLAR BICYCLE BRIDGE.

herever you find a body of wheelmen, there you count upon united support for road reform. Pioa good deal of persistence to insure recognition.

The Phonograph in Court,

A case recently came up in a New York court where an owner, suing for damages from a railroad company work is always difficult and expensive, and calls for injury done his property by the noise of passing trains, sought to introduce the phonograph, and thus bicycle craze has now penetrated every part of the give to the court direct and practical evidence of the The army of riders has invaded the South, sound vibrations caused by the locomotives and cars,

to and obtained from Superintendent Smith, of the Park menagerie, the services of the big elephant Duchess, who was led to the place where Jewel was fastened. The two elephants trumpeted as they came in sight of each other, and then became friendly, Jewel consenting, in a few minutes, to accompany Duchess to the menagerie, where the elephants were both led without further trouble. The tractability of Duchess has heretofore been of service on many occasions, where her great strength has been found advantageous in moving many articles. It was only a few days ago that she was brought out to move a heavy truck that had become stailed by the wheels sinking in a bad place in the road, a matter which presented no difficulty when Duchess, led by ber keeper, placed her great head against the rear of the



A BICYCLE BRIDGE AT TACOMA, WASHINGTON.

the future of good roads was assured. It is very satisfactory to note that the good roads movement is not confined to the East, but is very largely in evidence in progressed.

We present an engraving of a cycle bridge at Tacoma, Washington. We are indebted for the photograph as well as the following particulars to Mr. E. Irving Halstead, secretary-treasurer of the Washington division of the L. A. W.

Many people from the East visit Tacoma every summer. A good proportion of them are wheelmen, and they were surprised to learn in the early part of 1896 that the Wheelmen's Association had decided upon the bridging of the gulch in the southern part of the city which leads to the good roads beyond. The nature of the riding district makes the bridging of the gulch of more importance than the casual visitor may imagine. The opening of the elevated cycle path, which had been built the preceding year, was the means of lengthening the cycle path, so that the riders have now four miles of excellent cycle path from the bridge direct to prairie roads. Since the completion of the bridge, which is the largest cycle bridge in the world, the wheelmen cannot understand how they managed to get to the prairie roads by the inconvenient old route. Many of the citizens were opposed to the building of a eyele path. There was an argument as to how the bieyele license money should be expended, and it was finally decided to construct the bridge. Some few hundreds of the wheelmen objected to the license be ing enforced; but they soon saw the benefits derived from the levy, and to-day there is not one of the 2,500 wheelmen who objects to the payment of the \$1 per

The length of the bridge at the roadway is 330 feet, the height 110 feet, the width at the top 12 feet, the width at the bottom 50 feet. The trestle is built of 8×8 timbers thoroughly braced, the bents being 20 inches apart. The total cost of the bridge and approach was \$984.50.

The management of the local road improvements at Tacoma is admirably divided between the Wheelmen's Association and the L. A. W. The former attend to tral Park, New York, was a all the improvements within the city limits and the big elephant named Jewel. L. A. W. officials take care of the outside work. The As the elephant was being road committee is now at work with new propositions for the convenience and accommodation of the riders, to the Park, accompanied result of their labors, there will be several by a crowd of people at a small bridges built in Tacoma. Those constructed under the supervision of the L. A. W. will bear neatly painted signs. The wheelmen of the district desire to demonstrate their banding together for concerted ac-short steps, she stopped tion. The bridge is a fine example of what good results a little money judiciously expended could produce. It should be an incentive to those interested in a little distance, until he good roads to prosecute the work.

THE Paris Fire Brigade authorities are said to be light pole. Thus leaving quietly carrying out some trials with a hose van propelled by means of a petroleum motor.

East and West, carrying the desire for better roads into as they were propagated in the apartments of the every rural hamlet, so that it really seems as though plaintiff. The court did not finally rule upon the admissibility or non-admissibility of such evidence, holding the point open for further consideration as the case

GOOD WORK IN CHIMNEY MOVING.

The accompanying illustration is made from a photograph which represents the recent successful moving of a large chimney owned by the Manhanset Improvement Company, at Manhanset, Shelter Island, Suffolk County, N. Y. The chimney is 85 feet high and 7 feet square at base, with outer and inner walls 8 inches thick; it weighs nearly 100 tons. It was moved about 950 feet over very rough ground and quite a grade, both up and down. The picture shows clearly the construction of the cradle trusses, etc. The cradle rested on two skids greased on the under side and sliding on unique interest.

greased blocks. The purchase used was a chain capstan, and one horse at 180 fold, and the time occupied in loading and moving was only nine days, with the labor of only four men besides the contractors, W. H. & C. P. Topping, of Bridgehampton, N. Y. The chimney was placed on its new foundation without a particle of harm. This is the second chimney of the above description moved by the same contractors. The first one was 52 feet high, at Bridgehampton, and in both cases the work was completed without ac-

Two New York


Among some animals re cently received at the Cenrespectful distance, and with her legs so chained that she could take only and attempted to turn back, dragging her keeper stopped her retreat by tying her to an electric her in charge of an attendant, the keeper hastened

Utilization of Burned Out Electric Lamps,

It has, so far, says Industries and Iron, Lendon, proved a fruitless task to attempt the renewal of burnt out incandescent electric lamps. Yet there appears to be some economic fallacy involved in the destruction of what is, except in one small, if important, particular, a perfect piece of apparatus. It is stated that an American firm have now succeeded in making a commercial success of a process for renewing burnt out lamps, which renders possible the use of the old bulbs at a very slight expense. By the new method the collar or base end of the lamp is not disturbed, the old filament being removed, and the new one placed through a small hole in the lamp bulb made by removing the tip. The small hole is subsequently closed exactly in the same manner as in the case of the new lamp, leaving nothing to indicate in the finished repaired lamp that it had ever been opened. It is stated that some 400,000 lamps have been repaired by this method, the filament being inserted through the small hole referred to by a skillful twist of the hand, and secured in position by a special carbon paste. The black deposit on the inside of the bulb is removed by fitting the lamp to a holder, and revolving it in a gas furnace; while, immediately following this operation, a small glass tube is fused to the opening made in the bulb, through which the lamp is exhausted. When this has been done, and the last trace of air and gas absorbed, a blowpipe flame is directed upon the threat of the tube, which is melted into a point exactly in every respect a counterpart of the original lamp.

The Evolution of the American Locomotive.

Attention is called to the fact that a very important series of papers on "The Evolution of the American Locomotive," by Mr. Herbert T. Walker, is now completed in the SCIENTIFIC AMERICAN SUPPLEMENT, the numbers being 1112, 1113, 1114. The excellence and historical accuracy of the drawings render the series of



MOVING A CHIMNEY AT MANHANSET

YORK CITY.

We present in this issue an illustration of the great steel cantilever bridge by which the Long Island Railroad Company expects in due course to run its trains into New York City, and thereby add to the transit facilities of Greater New York. As our readers are doubtss aware, the New York Central and Hudson River Railroad is the only one of the trunk lines that po a terminus on Manhattan Island, and is able to land its passengers in the heart of New York without the inconvenience of a ferry trip across either the Hudson or the East River. Except the New York and New Haven Railroad, which has running privileges over the tracks of the New York Central, all the other companies are compelled to place their termini on the shores of New Jersey or Long Island, and subject their patrons to the delays and greater or less discomforts of ferry travel before they reach the metropolis itself. It was only a question of time before the problem of reaching Manhattan Island either by bridge or tunnel should be agitated, and at the present time there are three schemes on the New Jersey and three on the Long Island side for making a through rail connection. Two mammoth suspension bridges have been designed to cross the Hudson River, one at Fifty-ninth Street and the other at Twenty-third Street, and about a mile and a half below Twenty-third Street is the well known Hudson River tunnel, which has been constructed for three-quarters of the distance beneath the bed of the It is also proposed to make rail connection by a tunnel from the lower end of the city to Brooklyn, and by two bridges, the East River Bridge from Delancey Street, New York, to a terminus near Broadway, Brooklyn, and the New York and Long Island Bridge, which forms the subject of our front page illustration. Although all of the above mentioned schemes are primarily intended to give an all-rail connection with New York City, the bridges will in every case make ample provision for vehicular and pedestrian traffic, and will thus form important thoroughfares to link together the street systems of Greater New York.

The bridge now under consideration will carry the tracks of the Long Island Railroad Company into New York City, which it will enter between Sixty-fourth and Sixty-fifth Streets. A great terminal station will be built on Manhattan Island which will cover the entire block bounded by Second and Third Avenues and the streets above mentioned. The station will be 610 feet long by 200 feet wide, and the platforms will be 54 feet above the street level. The basement will be occupied by the machinery for elevators, etc., and by a large cold storage plant, the space devoted to cold storage alone comprising 480,000 cubic feet. On the ground floor there will be stores, a large restaurant, and a central hall 50 by 70 feet, facing which will be six large elevators, each having a floor space of 150 square feet. Behind the elevators will be two express rooms. covered carriageway will lead from Sixty-fourth to Sixty-fifth Street. The space from the carriageway to Second Avenue will be given up to a market. The second floor will be at the same level as the platforms of the elevated roads on Second and Third Avenues. It will contain a large entrance hall 50 feet by 150 feet, several large restaurants, and a number of spacious galleries from which it will be possible to look down upon the market below. Above the entrance hall on the second floor will be a waiting room, 80 feet by 175 feet, and the various ticket and telegraph offices and bureaus of a large terminal station. Outside the waiting room will be a broad platform extending to the track buffers. There will be twelve tracks in the station, and the whole will be covered by a lofty roof, carried on arched steel trusses, in which liberal provision will be made for lighting and ventilation.

Outside the station the twelve tracks will converge to a massive four track steel viaduct, which will be of standard construction, and will be built parallel with the streets and through the middle of the blocks until the portal of the great western cantilever is reached. The viaduct approach on the Long Island side will be about a mile in length, the street grade being reached probably at Hulse Street and Middleburg Avenue.

The problem of crossing the East River at this point is greatly simplified by the existence of Blackwell's Island in the middle of the river. By locating two piers on each side of the island, and placing the cantilever piers close to the bulkhead lines of New York and Long Island, it has been possible to reduce the length of the channel spans to 846 feet, the intermedi ate span across the island being 618 feet in length. The bridge is built on the cantilever principle, and in its outline it will remind our readers of the high level bridge across the Hudson River at Poughkeepsie. The likeness is merely one of general outline, for in respect of weight and size the present structure will easily outrank every bridge of the kind in America, and, with one exception, in the world. The Forth Bridge, in Scotland, is the largest cantilever structure in existence, its two channel spans being 1,710 feet in length, and it is likely to remain forever the longest, for the reason that when the distance to be bridged exceeds iton. A monopoly for the index might perhaps have 1,300 feet it is found that sufficient rigidity can be ob- been secured under the patent laws.

THE NEW YORK AND LONG ISLAND BRIDGE, NEW tained in a stiffened suspension bridge—a type that costs considerably less than the cantilever, especially in bridges of exceptional length of span.

The bridge is made up of two cantilevers, each 500 feet long, one on the New York and the other on the Long Island side, a deep parallel truss across the island with overhanging cantilever arms at each end, and two intermediate spans, each 350 feet long, suspended above each channel. Perhaps the most striking, and certainly the most handsome, feature will be the six massive piers which carry the structure. Four of these will practically carry the whole of the weight, the end piers being used as anchorages for the inshore arms of the end cantilevers. The four channel piers measure 45 feet by 85 feet at the base, and will be carried up to 185 feet above high water, the requirements of the War Department calling for a clear headway of 135 feet below the bridge at high water. The foundations are carried down to solid rock, which has een found at from 20 to 50 feet below mean tide. As will be seen from the illustration, they are of very massive appearance, the four channel piers containing 810,000 cubic feet of Connecticut granite, and the two anchor piers 216,000 cubic feet of the same material. It was originally intended to carry the piers up solid from foundation to capstone, but subsequently the design was changed by piercing the center with an arched opening-a modification which will add greatly to the architectural appearance of the whole struc

The trusses will be of the well known pin connected Pratt type with divided panels. They will be placed 56 feet apart and the space between them will be occupied by four lines of track, those which are laid next the trusses being used for local trains and the other for express service. The floor system will be of the standard type, consisting of deep plate steel floorbeams, riveted at their ends to the posts and vertical ties, with plate stringers, riveted to and between the floorbeams and extending the full length of the bridge beneath the rails.

On the outside of each truss is a wagon way and a six foot sidewalk, the sidewalk rails forming the extreme outside line of the bridge. This will be carried upon cantilevers or brackets, which are in reality extensions of the floorbeams. From the ends of the bridge the wagon ways will descend on a regular grade to the street level, and here they will be carried by the posts of the viaduct to which the brackets are riveted, as shown in our illustration.

The total width of the bridge outside the footwalks will be 98 feet. The greatest depth of the trusses will be 100 feet, measured from center to center of pins, and the total height of the top chords above high water will be 285 feet. The total length of the whole structure between terminals will be two miles. Thirtysix thousand tons of steel will be used in the superstructure, and the estimated cost of this great work, including the terminals, is \$8,000,000.

It can well be imagined that the various members of a bridge of this size will be of exceptional size, and perhaps the best idea of this is conveyed by the dimensions of the steel pins which transmit the weight of one cantilever to the piers. Each of these is 20 inches in diameter, 9 feet 6 inches long, and weighs four tons. The many eyebars and compression members that are packed snugly against each other at this point repreent, therefore, a solid mass of steel nearly ten feet in

In erecting the bridge, temporary falsework will be built between the two island piers and between the anchorage and river piers. Upon this the island span and the two shore arms of the cantilevers will be erected in the usual way. The ends of the shore arms will be bolted down to the anchor piers. The temporary falsework can then be removed, leaving the trusswork The river or channel arms of the self-sustaining. cantilevers can now be built out over the river, the weight of the overhanging parts being counterbalanced by the inshore portion. The center truss is built in the same way, the junction being finally made at the middle of the span.

It should be mentioned in conclusion that the bridge will embody in its construction the best features of the pin connected and riveted systems of bridge construction. The whole of the massive wind and sway bracing will consist of built up plates and angles with riveted connections to the truss

Our thanks are due to Mr. A. C. Bedford, treasurer of the Long Island Railroad, for courtesies extended during the preparation of the present article.

A Copyright Decision.

Amberg File and Index Company v. Shea, Smith & Company, 79 O. G., page 514. An index for the storage of letters is not proper subject matter for copyright. It is not a book within the meaning of the word in the Constitution, since by itself, that is, without the letters for which it is used, it forms no medium of information or intelligence. Nor is the inventor of such an index an author as that word is used in the Constitu-

Becent Patent and Trade Mark Decisions Imperial Chemical Manufacturing Company v. Stein

(U. S. C. C. A., 2d Cir.), 77 Fed., 612. Neglect to Sue for Infringement.—The patent in this case was for a process of dyeing hair and the chemical preparations constituting the dye bath. The defendaut sold the patented hair dye for about fifteen years in New York City, during which period of time it seems that the owner of the patent lived in that city but did not protest against the infringer of the patent. The failure, however, to make such protest when there is no evidence that she knew of the infringement, excepting that she happened to live in the same city, should not defeat a recovery for the infringement.

Newton v. Buck (U. S. C. C. A., 2d Cir.), 77 Fed., 614. Sale of Patent by a Receiver in Proceedings Supplementary to Execution.-Buck transferred, in writing, to a firm certain patents, but, accidentally, one patent included in the agreement was omitted in the writing. Afterward all rights under the agreement were assigned by the firm to Newton. Then a receiver of the property of Newton was appointed by the State Court in proceedings supplementary to execution. By order of the court the receiver sold Newton's interest in the omitted patent and the purchaser transferred the same back to Buck. The equitable title that Newton held in the omitted patent by the receiver's sale passed to

Muller v. Lodge & Davis Machine Tool Company (U. S. C. C. A., 6th Cir.), 77 Fed., 621.

Buck and a subsequent assignment thereof by Newton

Increase of Efficiency Ground for Patentability.-If an inventor has greatly increased the effectiveness of a mechanism, his patent will be sustained although his elements are old and no original results are accomplished. The patent in controversy was on a tool holder for lathes. The patentee had arranged old elements in such a way that by a conjoint use of two nuts he much improved the effectiveness and accuracy of old devices serving the same object. The patentee is not only entitled to the conjoint use of the two nuts in combination with the rest of the device claimed, but also to the benefit of every suggested conjoint use of these nuts which adds to the effectiveness of his mechanism, although not claimed as within the purpose of the invention.

Limitation of Claims.-If the invention patented is not a pioneer or primary invention, and reference letters be used in the claims, they will be limited specifically to the combination of all the elements specified; but if the invention be broad and meritorious, working a decided advance in the art, it will require something more than the use of reference letters in the claims to limit them to the exact form of device described.

Tool Holders for Lathes.-The Muller patent, No. 272,304, must be limited, as to claims 2 and 4, to the precise structure claimed by reference letters and the patentee is not entitled to a liberal application of the doctrine of mechanical equivalents.

Steel Clad Bath Company v. Mayor, Lane & Company (U. S. C. C., N. Y.), 77 Fed., 736.

What Amounts to Invention.—The fact that one is the first to produce an article having features long desired, that he has succeeded where many others failed, entitles him to a patent; and this fact, even if there are doubts as to novelty, should resolve the question in his favor. On this ground a claim for a bath tub composed of a smooth sheet metal casing having a lining of copper, aluminum, etc., pressed into close contact therewith, is valid and is infringed by a tub in which an asbestos sheet of very slight thickness is placed between the casing and lining.

Bath Tubs.-The Booth patent, No. 458,995, has een held valid.

Repairing a Patented Machine.—The fact that a device is patented does not prevent the owner from putting it in order when it gets out of repair, but when it is accidentally destroyed or is practically worn out, the owner cannot make a new machine under the guise of

Goodenough v. Cary (U. S. C. C., N. Y.), 77 Fed.,

Lacing Studs.—The Mathison patent, No. 525,152, for an improvement in lacing studs whereby nonmetallic, plastic metals, such as hard rubber or celluloid, may be fastened to the heads thereof by attachd or corrug ated fla void as lacking invention because it was like the old studs in every way except that the celluloid is held in place by minute depressions and elevations called crimps, instead of by minute depressions or elevations called lips.

Berry v. Wynkoop-Hallenbeck-Crawford Company (U.

8. C. C., N. Y.), 77 Fed., 838.

Money Checks.-The Berry patent, No. 208,988, for an invention consisting in providing checks or other papers representing money values with marginal tables of figures to be torn off so as to prevent raising or altering the amount, is void for want of invention over the prior art, especially the Stanfield 1878 patent.

The Sun and His Relations to the Earth as Parent, machine; and the sun's rotation would have been

The sun is the most glorious of all objects. Swedenborg made the sun, in his system, the correspondent of the Deity; the agent by which power and life were given to the inhabitants of surrounding worlds. Of all the energy that keeps things moving on earth, 99 per cent comes from the solar heat. The meteors help and the moon gives us tides; but 99 per cent of all the force that moves our mills, actuates our own hands and voices, comes from the solar rays. If the winds blow, it is because of some disturbance in the air. What is the cause? At some point or other the air is unequally heated; masses of air rise; other portions rush in to take their place and you have winds established. If Niagara does not run out; if Lake Superior does not find its way permanently to the ocean; if the Delaware does not stop running; it is because somewhere or other there are pumps running that lift the water back to the source, and those pumps are in the sun's rays. The constructor of the first steam engine says it is "nothing but bottled sunshine." What built the carbon in the stick of wood from which we derive heat? Simply the solar rays putting the elements of wood together in a certain way, and when you burn the stick you are allowing the hydrogen to resume its old combination with the oxygen from which it has been separated before. The power that actuates results is solar power, because derived from the food built up by solar rays. If you use a galvanic battery, a zinc and carbon battery with acids in it, how was the acid got out of its combinations and put in such shape you could use it? If you trace back the chemical processes by which we get these things used in a battery, they were put in shape by the solar rays. If you leave out the heat coming from the stars (as much in a year as the sun gives in a second), and the heat from the meteors (about as much as that), and all the tidal power, all the rest is sun power.

I am speaking within a quarter of a per cent when I say the sun is about 93,000,000 miles away-12,000 times the diameter of the earth; so that the quickest railroad train, on a schedule of 60 miles an hour, would be 175 years on the journey. New York is a little better off than Pennsylvania for cheap railway fares, so that at two cents a mile it would be a little over one and three-quarter millions of dollars.

The unit employed in measuring star distances is 63,000 times the distance from us to the sun. Stellar distances are vastly greater, and our sun is no greater than any other sun. Our sun has a diameter of 860,000 miles, or 118 part of its distance from us. The quantity of matter in it is 330,000 times that of the earth; the force of gravity upon it is twenty-seven times what it is here, so that a small man like myself would weigh about a ton, supposing there were life there. The average density of the sun is only a quarter part that of the earth. It averages a little more than the density of water. In all probability we don't see the sun itself at all; what we see is a great shell of cloud that overlies and covers it and sends out light and heat in somewhat the same way that the mantle of a Welsbach burner radiates light and heat from the gases within. The explanation of this low density is the intense heat of the sun. The temperature we don't know. The investigations of the past ten years show it to be between 10,000 and 20,000 degrees Fahrenheit. and probably not very far from 14,000 degrees. The effective temperature is no more than a thousand de grees one way or the other. The furnace in which our French friends make diamonds is possibly six or seven thousand degrees; but this double temperature indicates a vastly increased radiating power.

What is the temperature of the earth? Do you mean the temperature of the North Pole, at the equator, at the top of mountains? There isn't "a" temperature of the sun. On the whole, it acts as if it were a body covered with lampblack heated to a certain temperature, and we call that the "effective temperature. At a very small depth within the solar surface the temperature rises, rises—just as it does as you descend in the earth. Then how is it that its temperature is maintained? The probability is that the temperature is maintained by the continuance of a process going on age after age—the process by which the worlds were made-the system that surrounds the sun. We are quite sure that it is not produced by any action of combustion in the first place. If so, I cannot stop to explain how the calculation can be made, but long ago by congealing taking place at certain portions of the the sun would have burned out. It could not last but solar surface; from certain portions of the material about six thousand years in all. Neither can it be they rise and are congealed in rising. Usually the sun simply a warm body cooling and bringing the heat from inside to the outside and throwing it off by simply cooling as a ball of iron; it would not last long that way. Some have suggested that it was produced by the rotation of the sun, that the sun's heat is maintained by a sort of an electric arrangement like a Holtz machine; but it is very easy to calculate that no heat is produced in that way, that there is a hang back to the sun, just as power is required to drive a dynamo

stopped, on that basis, in five hundred years. Then there is the older idea that the heat is produced by his book upon the "Mode of Motion" the theory was meteoric matter falling upon the sun might account falling upon the sun with the velocity that the earth would acquire in dropping that distance would supply the sun for a hundred years. But Venus and Mercury say no! If there were any such quantity of meteoric matter near the sun, their orbital motions would be different. The earth would get as much heat from the meteors as it did from the sun. Helmholtz suggested about 1858 that the sun's heat is maintained by its slow shrinkage. Supposing I hold a book in my hand and drop it on the floor, what happens? Gravity acts upon it, with a little noise; but the main thing is, the book is warmed and the floor is warmed. Motion has been produced and has been stopped, and a certain amount of heat unquestionably produced. If we put a hole through a weight and put it on a post, and let it slide down, it would produce heat also. Suppose every portion of the sun's surface drops 150 feet toward the sun's center, diminishing its diameter about 300 feet; in that case, on any reasonable hypothesis of the constitution of the sun, that would account for all the heat the sun sends forth. If the sun continued shrinking faster than that, it is growing warmer; if it is shrinking more slowly, it ought to be cooling off a little. The sun is giving out 30 calories of heat for every square meter of its surface, which would heat 30 kilogrammes of water one degree every minuteequivalent to about 21/4 horse power energy. If, by some means or other, we could case the sun in with ice 60 feet thick and then let the heat start, it would be just one minute melting off. A yearly shrinkage of 300 feet in diameter of the sun would have to go on for 7,000 years before detection by the best telescopes that we or our posterity are likely to possess; and it could go on from seven to fifteen million years without disturbing anything; but the end will come; though just here we meet with a difficulty with reference to the past history of the system. The geologists want more time for the making of the solar system by the process

that seem to be indicated by the nebular hypothesis. If the sun is throwing off heat alike in all directions I do not think it can possibly be more than 150,000,000 ears old. Can it be that energy is expended only in radiating from the sun to another material body? The whole solar system does not receive more than twothousand-millionth of the heat that the sun radiates. It goes off into space. Our hundred millions of possible life for the solar system might easily become a million millions if it only loses heat when it gives it to something else.

Several diagrams were thrown upon the screen illustrating the nebular hypothesis of development of the olar system. By means of the actinometer the heat of the sun's rays is measured, though we do not know how much to allow for absorption by the atmosphere. The Wilson & Gray (1894-95) radiomicrometer is the most delicate apparatus yet devised for sun heat measurements. At the Columbian World's Fair of 1893 was shown a great reflector made of boiler iron lined with mirror glass, projecting light and heat that ran a two horse power engine as long as the sun would shine. The invention was Ericsson's, who had a great idea of the value of the sun's rays in Egypt and other such countries where the sun's rays could be depended upon constantly. Our best steam engines do not give one-sixth the power originally shot off from the sun, stored in the coal, and finally brought under the guidance and control of man as issuing from the steam engine. The general surface of the sun is at least 5,000 times as bright as the lime light and not more than four or five times as bright as the electric light you are using to night. The lime light is an intense jet black when held against the solar surface.

Sun spots are a very interesting phenomenon. One of the largest spots observed was over 100,000 miles in diameter. Sometimes spots do not last more than a day or two, and the Methuselah of the race lived eighteen months only. They very rarely last over a year. They do not lie below the sun's surface, on which they are a sort of a boil. Meteorologists have been discussing a theory of cold waves-spots formed storm, when the telegraph lines worked without batgreat magnetic disturbance on the earth's surface.

We do not know the cause of the spots. Now they are rare and again abundant. The average interval is about eleven years. They were exceedingly numerous meteors falling on the surface. When Tyndall wrote in 1872, almost disappeared in 1880, but in 1884 there was another maximum. There is no regularity about maintained in that way. The idea was that the it. Nobody knows what makes the slight approach to periodicity of their occurrence. Do these variations in for the radiation of the heat. A mass as large as the earth the sun spots affect the earth? Some consider them causes of storms, some, of disease (cholera for instance), some, commercial crises; all sorts of happenings are laid to the account of sun spots; but, as far as I can make out the evidences, the line of magnetic storms corresponds with the sun spots. If you watch the magnetic needle, you find it keeps swinging back and forth and at times will dance about for days at a time. And we call that a magnetic storm; for some reason or other the magnetic conditions of the earth are disturbed and the magnet vibrates. Some observers watch this change constantly, and records are kept.

In years of numerous sun spots, magnetic storms and the aurora borealis appear frequently, but the connec tion we cannot account for. We do not know if they be cause and effect. They go together. It is entirely possible that the disturbances are altogether from outside and affect the sun and the earth together. Each new accession of sun spot activity breaks out on one side of the sun's equator or the other. They move in well-defined zones

When we look at the solar spectrum, we get a great multitude of diagrams. Fraunhofer discovered this in 1816, the Fraunhofer's lines being dark streaks across the spectrum. Prof. Young described the significance of these lines. The burning of gases produces beautifully brilliant spectra; but where you have a solid or a liquid you have a spectrum that is continuous-no markings. The explanation of these dark lines in the solar spectrum is that these photosphere clouds have an atmosphere of gases over them, and when the light from that photosphere passes through that atmosphere, then those lines turn dark. In the eclipse of the sun shown upon the diagram at the moment when the moon had covered up all the sun except this edge, the lines that had been dark before turned bright, and remained bright about a couple of seconds and then faded away. In getting the iron spectrum, the iron is not simply warm-not simply melted-but it is actually boiling, and the iron vapor is just like the steam from the tea kettle, and in that condition it gives a bright light, and then you could compare the spectrum of the sun with that of the iron and see if there is any iron in the sun. Two slides were exhibited giving the close resemblance of the iron and sun spectra. Rowland's concave grating spectroscope is the best extant. The spectrum of a sun spot shows that the darkening is due to the presence of cooler vapors in which vanadium is abundant. A blowpipe blister in a spectrum of the sun was due to a sudden blast of hydrogen gas moving 160 miles a second. A prominence of 200 miles length rose up from the sun's surface on one occasion.

During an eclipse occurring in 1882, visible in Egypt, and of which photographs were taken, a comet was seen for just two minutes, to which was given the name Tewfik, being that of the then ruling Khedive of Egypt.

The Bicycle Wood Rim Patent.

In a recent decision in a case before the United States Circuit Court for the Northern District of New York, Justice Coxe sustained the Fairbanks and Berlo patent of May 9, 1893, on wood rims for bicycle wheels. The great popularity which these rims have attained within a year or two renders this decision especially interesting. The patent is for a rim composed of a series of sections or plies of wood of varying course or direction of grain, cemented together, the ends of each section breaking joints with the ends of adjacent sections. The court held that "the introduction into the art of the marked and at the present day universally recognized improvement of the patent required an exercise of the inventive faculties. Carriage wheels with the ordinary compression spokes and reinforced with iron tires had been made with laminated fellies, but there is no pretense that the break joint and vary ing grain features of the patent are found in any of these structures, which are not adapted for use in a wheel provided with suspension spokes and pneumatic The patentees have done much to make the modern bicycle a perfect machine."

DR. WM. T. BULL, says The Independent, has lately spots are cooler than the surrounding sun. The center given to the world an account of the entire restoration of the sun spots gives usually not more than a quarter to health of a woman who had earried a plate for artias much heat as the surface surrounding it; but when ficial teeth in her esophagus for twenty-two months, you get near the edge of the sun, they actually are her health meantime being at a low ebb, for the removal hotter than the surrounding photosphere. The spot of which he successfully operated. In that connection of 1803 appeared in connection with the great electric he relates some most interesting experiments with the X rays. It seems that there are many things that may teries for a whole day; and this great spot, just about be swallowed—one surgeon enumerates twenty-five that the size of the earth, broke out just about the time of have been-and more than half of them are substances the occurrence of this electrical storm, one of the co- that can be discerned by the aid of the X rays. Hence he incidences between a great solar disturbance and a considers that "this addition to surgical resources cannot be overestimated."

^a Condensed for the SCHENTIPIC AMBRICAN from a lecture at the Drexel Institute, Philadelphia, by Prof. Charles A. Young, professor of astronomy at Princoton University.

A WILD DEER TAKING ITS OWN PORTRAIT.

The eurious engraving shown on this page is reproduced from the Progress of the World, which, as our readers are aware, has recently been incorporated with the SCIENTIFIC AMERICAN. It is reproduced here in order to show the field occupied by that journal. Certainly, as a photographic feat, it is decidedly novel and

graph itself was arranged by Mr. Charles Hughes, of Red Bluff, California, who conceived the idea of causing a wild animal to take a flashlight photograph as it passed along a trail in the Coast Range of mountains under the cover of night. He set up the cemera a short distance from a trail over which the deer were known to run, and then connected the shutter and the dashlight materials with a trap. When the deer stepped upon the trap, the camera was opened and the flashlight set off at the same instant. Mr. Hughes thus secured the negative in the dead of night, and when there was not a soul within sight or hearing of the animal. On developing his negative, he found the photograph of a deer, which is herewith reproduced. The frightened appearance of the deer, as he was startled by the sudden flash of light out of the darkness of the night, is clearly shown in

THE NAVAL PARADE AT THE DEDICA-TION OF THE GRANT MONUMENT.

the photograph.

There was not a more beautiful or impressive sight in connection with the ceremonies attending the dedication of the Grant Memorial than that presented by the fleet of ships which formed the naval parade on the waters of the North River. Such a gathering of war ships and ves-

was rendered particularly attractive by the strong westerly breeze which blew across the river and served to spread out the long lines of bunting and flags and visitors who were fortunate enough to be present ray presented by the long white line of the government | six 6 inch guns, one 3 inch and nine 2 % inch rapid fire war ships. The vessels were drawn up in a double line guns, together with four smaller guns.

parallel with the shore. The inshore line was headed armored cruiser of 8,500 tons displacement and 21 New York came the Talbot, an English second class The apparatus by which the deer was made to photo- fire guns and fourteen smaller guns. Next came the six 6 inch and twenty smaller guns. Astern of her was



PHOTOGRAPH OF A DEER TAKEN BY FLASHLIGHT, THE ANIMAL ITSELF "PRESSING THE BUTTON."

sels of the merchant marine forms at any time big Spanish armored cruiser Infanta Maria Teresa, of Lighthouse Department and the revenue cutters. The a striking picture, and on this occasion the scene 7,000 tons displacement and 2014 knots speed, armed with two 11 inch heavy guns and ten 51/4 inch rapid fire guns, together with eighteen smaller guns. Astern followed the Ysabel, a small Spanish gunboat. Next with which the ships were decorated. The waters of came the French gunboat Fulton, of 811 tons displacethe river were flecked with just sufficient spray to add ment and 13 knots speed, armed with two 51/2 inch the last touch of brightness and vivacity to the parade, guns, one 3% inch gun and five machine guns; and last in the line was the Italian Dogali, a third class at the dedication will not soon forget the imposing arcruiser of 3,088 tons and 191/2 knots speed, armed with


In the accompanying illustration a part of this inner by the Dolphin and behind her was the New York, an armored cruiser of 8,500 tons displacement and 21 vessel with the black hull being the Infanta Maria knots speed, carrying six 8 inch guns, twelve 4 inch Teresa. The photograph itself was taken from a rapid fire guns and sixteen smaller guns. Behind the point off the port bow of the United States second class battleship Maine, which is shown in the foreground. cruiser of 5,600 tons displacement and 191/2 knots speed, The Maine is a vessel of 6,682 tons displacement and 17 armed with five 6 inch rapid fire guns, six 4°_{10} inch rapid knots speed, armed with four 10 inch heavy guns and

> moored the Indiana, queen of the United States navy, a vessel of 10,338 tons displacement, 16 knots speed and protected with Harveyized armor 18 inches in thickness. She carries four 13 inch heavy guns, eight 8 inch, four 6 inch guns and thirty smaller rapid fire guns. Astern was the Texas, of 6,300 tons displacement and 17 knots speed, carrying two 12 inch and six 6 inch guns and twenty-two smaller rapid fire guns. The next ship was the Raleigh, a cruiser of 3,188 tons displacement and 10 knots speed, armed with twelve 6 inch rapid fire guns and seven-teen smaller rapid fire guns. Astern of her was moored the famous Columbia, of 7,475 tons displacement and 22 8-10 knots speed, armed with one 8 inch and two 6 inch guns, eight 4 inch rapid fire guns and twenty-four smaller rapid fire and machine guns. Next came the Amphitrite, of about 4,000 tons displacement and 19 knots speed, carrying four 10 inch heavy guns, two 4 inch rapid fire guns and six smaller rapid fire and machine guns. Last in the line was the Terror, of the same displacement and general dimensions and armament as the Amphitrite. In addition to the fighting ships as enumerated above, there were some fifteen or twenty United States vessels in line astern of the squadron. These consisted of the vessels of the United States

rear was made up of the ships of the merchant marine. When the head of the procession on shore reached the Grant Monument, at about 1 P. M., a salute of twenty-one guns with four seconds' interval was fired

by the ships.

At about 5 o'clock in the afternoon the President left the reviewing stand and went on board the dispatch boat Dolphin, which headed down stream between the two lines of vessels. As each ship of war was passed a salute was fired and the vessels of the merchant marine saluted with the usual blowing of whistles. The end



THE NAVAL PARADE AT THE DEDICATION OF THE GRANT MONUMENT, NEW YORK

THE WAR IN THE EAST

The daily press has kept our readers well informed of the progress of the Greco-Turkish war. A struggle which involves the condicting interests of so many na-

of the line was reached just as the sun was crimsoning in the west, and thus was brought to a close one of the most stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.

It is a stirring marine spectacles ever witnessed by the civ of New York.



CONSTANTINOPLE-DOLMABAGHCHI PALACE ON THE BOSPHORUS.



CONSTANTINOPLE-GALATA BRIDGE CONNECTING GALATA AND STAMBOUL.

ninsula, but Hungary as well. Under his son, the empire began to decline. In the eighteenth century several attempts were made to partition Turkey, but they were not entirely successful, though parts of the territory were pared off from time to time.

Greece won her independence in 1828, and by the Treaty of Paris, Turkey was placed under the tutelage of the other powers, especially Great Britain and In 1866 Moldavia and Wallachia united to form Roumania, and became practically independent, as did Servia the next year. Egypt threw off the bonds and was then ruled by khedives. In 1874 an insurrection occurred in Herzegovina, which set the whole Balkan Peninsula on fire.

In 1875 outbreaks and massacres occurred in Bulgaria; and Servia and Montenegro declared war against Turkey. Russia declared war against Turkey, and aided by the Roumanians, the Russians defeated the mighty Turkish general Osman at Plevna. The treaty of San Stefano in 1878 was made, practically surrendering everything to Russia, but Great Britain interfered, and the Congress of Berlin was held to regulate the affairs of the Balkan Peninsula. The congress greatly altered the conditions. Roumania, Servia and Montenegro were made absolutely independent, while Bosnia Herzegovina and Novi Bazar were put under Austrian administration, part of Thessaly was ceded to Greece, and Bulgaria was made autonomous. Turkey in Europe was really restricted to a narrow strip from the Bosphorus to the Adriatic. Sultan Abdul Hamid II succeeded to the throne in 1876. He came to the throne at a critical time. Years of evil rule had engendered the corruption which always seems synonymous with the name of Turkey. His efforts for reform met with no encouragement from the Powers; then came the Russian war, with the loss of several important provinces; each power seeking its own selfish gain without regard to the Turkish rights. The Powers are never weary of reminding the Sultan that his empire exists only on sufferance. The Sultan has been the victim of bad policy which has been fostered by one or the other of the interested Powers. Thus, for instance, all the Christian inhabitants of Turkey were to be put under Russian protection, but England was jealous of Russia's power, joined with France, and compelled the treaty to be dropped. The result of this grabbing of the Powers was that England has practically posses itself of Egypt and Cyprus. Roumania and Servia are independent kingdoms, Bulgaria is virtually independent, Austria has occupied Bosnia and Herzegovina, Greece and Montenegro have been aggrandized, but nothing but some "frontier trimmings" have fallen to the lot of Russia, so there is little wonder that Russia now insists upon taking a dominant part in the further disposition of the Turkish empire.

The present attitude of the six great powers is as fol-Russia means to recoup her losses in the Crimean war, if possible, by seizing Constantinople, the bulk of the empire, and the island of Crete. She wants Thrace with Constantinople, so as to control the straits and to make the Biack Sca a Russian lake. She wants Albania, so as to have a frontier on the Adriatic; she wants Crete as a naval station, in fact there seems to be very little that this already great country does not want. Austria-Hungary has virtually absorbed Bosnia, Herzegovina, Novi Bazar. Now she only wants a strip across Macedonia so as to make Salonica her own seaport on the Ægean Sea. Great Britain appears to have renounced her old policy of opposing Russia and now seems willing that the latter should do about as she pleases. Having a good hold on Egypt, which is one of the keys to India, and with Mafta and Cyprus in the Mediterranean, she ought to be content. Italy follows the lead of Great Britain, and appears to have no ax to grind except, possibly, to see Montenegro enlarged, as this country is the native land of the Princess Helcne, wife of the Crown Prince of Italy. France follows the lead of Russia and keeps an eye upon Syria as the share of the "sick man's" effects which she would like best. It is hard to say what the policy of Germany is. At present it appears her attitude is governed by spite against Greece, because the German Emperor's sister changed her faith to that of the Greek church when she married the Greek Crown Prince, without asking the Emperor's permission. This is, therefore, the so-called "concert of the Powers." It is difficult to see how the interests of all ited without a general Europ should the Ottoman empire go to pieces. At present appearance they are attempting to preserve the integrity of the Ottoman empire. This cry of the preservation of the integrity of Turkey is entirely insincere. When it has suited the purpose of the Powers, they have not scrupled to encroach on the sacred territory. In the Fortnightly Review for April, Sir George Baden Powell gives this instructive table of the area and population of Turkey in Europe at different periods in the present century:

This comparison shows that Turkey has in Europe to-day only about one-fourth of the area and less than one-fourth of the population that she had at the beginning of the century. The rest has been appropriated by the very Powers which are now declaiming about the necessity of maintaining the "integrity of Turkey."

The reason why England is always so anxious when the Christian subjects of Turkey are in rebellion is that she fears that Russia may destroy the power of the Sultan, capture Constantinople and then be in a position to fight for that splendid country-Indiawhich Russia has so long coveted. Russia in Central Asia is already too near India. Should the Russian ships once be allowed to go through the Dardanelles at will, she could build vast dockyards on the Black Sea, and in a short time become one of the great naval powers of the world. At present Russia's only other seaports are on the Baltic, which is closed to navigation the greater part of the year. From this it will be seen that the few miles of water has been the cause of endless diplomacy, and even wars, and the possession of the strait might in a few years change the political divisions on our maps.

As we have already stated, the Greeks won independence in 1828, but the Greece of 1828 was simply the nucleus of the nation to be. It is the growth of that nucleus that the Cretans and Greeks are fighting for. The liberation of another section of the three or four millions who are still held in Turkish bondage is only another step toward the unification of Greece. Greece does not claim the privilege of settling the Eastern question by itself, but does emphatically claim the right to aid other Greeks to throw off the yoke of an intolerable despot. The government of the monarchy is, to a very large extent, a popular one, so that the Kaiser and Czar naturally do not regard it with favor. The Greeks are justified in fighting for freedom whenever the opportunity offers. Under Mohammedan rule no Christians can ever enjoy the degree of political rights that Mohammedans possess, and though the modern Greeks have very little of the old Hellenic blood in their veins, still they will always be recognized as a patriotic and freedom-loving people. Things at last reached such a pass in Crete that Greece could not, with self-respect, stand by quietly any longer and see her brothers suffer. So troops were sent into Crete. Then came the now well-known blockade of Crete this the majority of the Italian, French and English people cordially condemn. The mismanagement of the Powers since the blockading of Crete is even worse than before, so that Greece and Turkey really seem forced into the present war, though both have been informed that their success would mean no accession of territory to the victorious nation.

Turkey tried to throw the burden of the responsibility of the war on Greece, stating that, owing to the incursions by the Greeks on Turkish territory, their military commander was ordered to assume the offensive. This was on April 17, and since this time the Turks have been very successful in Thessaly; but the outcome of the war is still in doubt. The Turks appear to have the advantage on land and the Grecian navy on the water.

Turkey has many vulnerable points which might be attacked by the fleet of Greece, which, as we have already stated, is superior to that of Turkey. The fleet of the Greeks consists of four battleships, two firstclass cruisers and twenty-five torpedo boats. Among what might be considered the vulnerable points in the Turkish dominions are Salonica, the base of supplies for the Turkish armies in Macedonia, the island of Samos, which, like Crete, is now in a state of revolt, and the Dardanelles themselves. It is thought that the Greek fleet is hardly strong enough to force the Dardanelles, but should it be successful in doing this and in defeating the Turkish fleet, which does not amount to much, it would cause great havor among the valaces, mosques and other buildings of Constantinople. Constantinople is said to stand upon two continents, since Scutari is in Asia Minor. Vessels reach Constantinople through the Dardanelles, the narrow strait forty miles long and from one to four miles wide. The Dardanelles unite the Mediterranean with The Sea of Marmora, which is connected at its other end with the Black Sea by another narrow strait called the Bosphorus, and it is on this strait that Constantinople is situated.

The peculiar harbor, on of its form and fullness, is known as the "Golden Horn." Directly on the knew, favorable for the balloon journey. This was as each is engaged in blocking his neighbor, while to all Bosphorus are palaces which are most imposing. We illustrate one of them, Dolmabaghchi, which is one of the most beautiful, but the Sultan evidently considers that it is too easy of approach and has established himself in the smaller but more secluded Yildiz palace, where he can be surrounded with his soldiers. also give an illustration of one of the bridges which unite Galata to Stamboui, showing the animated scenes in this half-barbaric, half-civilized capital.

> ALUMINUM HELMETS have not proved entirely successful in the German army, the saving in weight being more than offset by the metal's storing heat even to blistering the foreheads of the wearers.

Andree's Halloon Voyage to the North Pole, BY A. DANIELSON, UPSALA, SWE

On the 20th of March last, before the Society for Anthropology and Geography, in Stockholm, Sweden, Mr. S. A. Andree, the balloonist and explorer, gave a full account of the preparations for the coming polar expedition.

The plan for the ascension is the same as last year's some slight changes, however, are made in the equipment, based on experiences during the trip to Spitzbergen last summer.

The balloon has been increased in volume 300 cubic meters. This was effected by cutting the balloon in two and inserting between the two halves a girdle one meter high. It was found necessary to increase the volume, as the balloon silk weighed close upon 300 kilogrammes more than calculated. Its weight is now 1,320 kilogrammes. The form is now somewhat ellip-

The balloon is in good condition. The strength and tightness of the silk is unaltered. Mr. Strindberg, who has undertaken these important investigations, has found the loss of gas through the balloon cloth to be almost nil. Last year the entire balloon was found to lose through the cloth one or two cubic meters of gas during twenty-four hours.

For the tightness of the seams the overlying lists play an important part. Without them the balloon would not be able to keep floating many days. During the winter the tightening lists have been improved and altered according to the new form of the balloon. The maker, Monsieur Lachambre, has invented a new varnish especially for this balloon. By experiment it has been learned that moisture has no influence upon the tightness of the seams, and this fact has caused Mr. Andree to somewhat simplify the construction of the balloon house. The net is just as strong as ever.

There is every reason to believe that the balloon house has well withstood the Arctic winter of Spitzbergen. Mr. Andree has made himself sure that no whalers or seal hunters have passed the winter in the neighborhood. Consequently nobody has been tempted to use part of the house as fuel. In order to get an idea of the weather conditions in Virgo's Haven during the winter. Mr. Andree has communicated, through Consul Aagaard, with one of the men who, with Mr. Pike, wintered there in 1888 to 1889. This man stated that the hardest storms generally blew from the south and southwest, which perfectly agrees with Mr. Andree's theories. But from southerly winds the balloon house is sheltered by cliffs more than 100 yards in height. Thus the house is only exposed to northerly winds, but Mr. Andree, as well as the two architects who erected the structure, are of the opinion that it has suffered no essential damage. Still it goes without saying that the travelers will be provided with every means to quickly make necessary repairs.

Increased Amount of Hydrogen Gas.-For generation of hydrogen gas so much material will be brought along that the balloon can be kept filled six weeks, awaiting favorable winds, even if the loss of gas should amount to 100 cubic meters in twenty-four hours. Mr. Andree hopes to be ready to start about the 20th of June, and is thus able to wait for suitable winds up to the first days of August, and to start later in the year is not to be thought of.

To Cut the Drag Lines.-From several quarters the fear has been expressed that the drag lines might catch hold of something on the ground and arrest the balloon. Mr. Andree himself did not much believe in this danger, but now the expedition has been presented with a very ingenious device for cutting the line at any desired point. The apparatus, invented by a Mr. Torner, consists of a cylindrical metal case, which can be made to slide down the line to where it is intended to be cut. Inside of the metal case are two sharp knives driven forward with great force through the explosion of a quantity of powder. Mr. Andree exhibited a thick cable cut in this way.

When the Expedition Leaves Sweden.-The expedition leaves Lathenburg on the 18th of May. The time for the voyage to Spitzbergen and for the preparatory work there is calculated to about four or five weeks. Nothing tends to indicate that the winter at Spitzbergen has been severe, and there is every reason to believe that the expedition will find the sea free from

Nan en;s ob ervations were, as far as well regarding the temperature and the variations of the compass as the direction of the winds. Toward the end of June and in the beginning of July the Fram had in the polar basin experienced identical winds with those which Mr. Andree had noticed at Spitzbergen. Dr. Nansen has confirmed another important fact, viz., that no highlands are to be met with up to 84th or 85th degree of latitude. The ex. plorers need not therefore fear the necessity of consuming a great amount of gas by lifting themselves over any mountain ranges.

The Desired Way .- If we are so fortunate, the speaker continued, that we may choose our way, I would rather, since Dr. Nansen has so well explored d

d

d

d

d

the polar region toward the Asiatic side, steer our bal-members of that devoted band which set forth into the oward the American continent. This part of the world is not now nearly so desolate and uninhabited as it was when the Franklin expedition perished. Ever the mouth of the Mackenzie River for hunting purand twelve to fifteen ships pass the winter with 400 or 500 people aboard. The speaker had got these particulars of a Swedish harpooner, Bertonocini, who has been a long time in American service there. Along the coast of Alaska are to be found more or 1.88 civilized Indians and Esquimaux. In the interior of Alaska there are a great number of gold diggers. Among the inhabitants of these vast regions information concerning the expedition is pretty widely spread, although, strangely enough, the circulars with cut of balloon have not here been distributed.

The speaker concluded with expressing his firm con. viction that the outlook for the expedition is as good if not better this year than the last.


After Mr. Andree's lecture, Dr. Jaderin, the astronomer, arose and demonstrated before the society a very valuable improvement on the usual sextant, enabling But at last the historic log is to be restored to the com- to the secret worshipers of Brewster's day. One of

unknown for conscience' sake, and subsequently governor of Plymouth Colony, and within its pages were recorded the names of all the pilgrims and the chief since 1889, American vessels have been stationed about incidents of their voyage and ultimate landing at Cape Cod. But the log of the Mayflower did not end with the voyage. Its narrative was continued as a history of the formation of the first settlement at New Plymouth, and of the general colonization work of the next twenty-eight years. The inclusion of an official register of baptisms, marriages and funerals added a legal importance to the historical value of this authoritative account of the origin of New England. It was probably due to this circumstance that the volume was some time or another sent to the library of Fulham Palace, for up to the time of the Declaration of Independence the American colonies, strangely enough, formed part of the diocese of London. Nothing is valuable document from the new country to the old

for their Puritan brethren. And, seeing that the new Boston claims to be "the hub of the universe," optimists may detect great significance in the generous surrender of what, to Bostonians even more than to Great Britain, is a precious historical record and antiquarian treasure.

The little village of Scrooby, on the borders of Lincolnshire and Nottinghamshire, where Brewster lived and taught lessons in freedom to Bradford and other brave souls, has been denominated "the cradle of Massachusetts." And if so, why not "the cradle of the American nation"

The traveler on the Great Northern Railway from London may catch a glimpse of the slim white spire of Scrooby church on his left ere he reaches Doncaster. Visitors from Massachusetts know it well. There are two shrines that the enthusiastic American tourist never misses. One is Stratford-on-Avon; the other, definitely known, however, of the transference of this Brewster's old manor house at Scrooby, with the neighboring village of Austerfield, where William beyond the fact that it has been stored at Fulham Bradford first saw the light. There is, indeed, com-Palace with other archives of the diocese of London. paratively little left of the structure that was familiar



THE LOG OF THE MAYFLOWER-FACSIMILE OF THE BOOK,

periments have shown the error to amount to only about 2'

Dr. Nils Ekholm will not accompany Mr. Andree. He has backed out, as he does not consider the undertaking likely to succeed. The party will now consist

THE LOG OF THE MAYFLOWER.

A graceful act of international courtesy on the part of the Consistory Court of London has drawn attention to the remarkable history of a manuscript volume which is essentially one of the most precious heirlooms stored in English keeping. The Pilgrim Fathers who was compiled by William Bradford, one of the foremost Boston before they managed to find a way of escape monia.

is oscillating and above the ground as when he is sit- precious a relic. At the application of the United ting in the car of a balloon. Dr. Jaderin calls his in- States ambassador, the Consistory Court of London strument "nivasextant" (the level sextant), and ex- has decided, with the approval of the bishop, to hand over the volume to the President of the United States, zincographic copies being kept for the diocesan registry

and the episcopal library at Fulham Palace. This decision naturally recalls the tender solicitude with which everything associated with the sailing of Mr. Andree, chief engineer (ofveringenior) at the of the Pilgrim Fathers is regarded by all true Ameri-Royal Swedish Patent Office, Mr. Strindberg, amanu- cans. Anti-British politicians may do their utmost to cans, in particular, are being invited to contribute to ensis at the University of Stockholm, and lastly Mr. prevent the tightening of the bonds of friendship the fund. So far, their response is not encouraging, which should unite the two great English-speaking nevertheless the church wardens intend to retain the peoples, but there will still remain a huge section of new world inhabitants actuated by feelings of keenest admiration and deepest sympathy for the old mother country. The State of Massachusetts is especially interested in the present act of courtesy. It was a vicar of Boston in Lincolnshire who practically founded the of the American nation, although it has long been chief city of Massachusetts. Several of the earliest governors of Massachusetts hailed from the Lincolnleft their native land on board the Mayflower in 1620 shire Boston. Governor Bellingham, whose character bequeathed to their children a detailed chronicle of all is sketched in "The Scarlet Letter," was recorder of the their doings in the form of a manuscript book, entitled old England town. William Brewster, chief of the "The Log of the Mayflower." This volume, destined to Pilgrim Fathers, and William Bradford, who kept the acquire a unique importance as an historical document, log of the Mayflower, both suffered imprisonment at

the observer to make careful determinations even if he monwealth of whose earliest beginnings it forms so the few old oak beams remaining has already been secured by an enterprising descendant of the Pilgrim Fathers to adorn his dwelling across the seas, and, bit by bit, other memorials of the past are finding their way over the Atlantic to keep alive the feeling of kinship between New England and the old. The Norman font at which William Bradford was baptized still occupies a place in Austerfield church, and the parish register contains Bradford's baptismal entry. quaint old edifice sadly needs restoration; and Amerifont. As the Earl of Crewe writes in his appeal on behalf of the memorial fund, Austerfield is linked with Scrooby, the home of Brewster, as a cradle of the Pilgrim Fathers; and so long as the sailing of the Mayflower remains one of the historic cameos upon which English and American eyes alike love to rest, the footsteps of travelers will turn toward these quiet little hamlets in reverence for the men who embacked on an even nobler quest than did the fleet of Columbus.-Illustrated London News.

> ICHTHYOL is recommended by Der Stein der Weisen as a much better remedy for insect bites than am-

RECENTLY PATENTED INVENTIONS. Engineering.

REVOLVING MUFFLE FURNACE.-August R. Meyer, Kansse City, Mo. To facilitate the de-eulphurising or chloridising of ores or metallurgical products, this furence has formed in its walls a revoluble channel at the end of the cylinder, but remote from the furnace, connecting the cylinder flues, and adapted to be placed in communication with the interior of the cylinder. An outlet at the furnace end of the cylinder is adapted to be successively connected with the cylin der fluor. The products of combustion travel twice through the fines before passing off to the chimney, utilizing the dust to the fullest advantage, and the proetion are kept entirely separate from the

FRED WATER HEATING APPARATUS. Elihn K. Jones and Thomas N. Wilson, Pulton, Oregon, According to this improvement the feed water is forced through hollow grate bare on he way to the boiler, the main grate bar having a series of parallel lengthwise passages, and there being joined to it a series of minor grate bars having like communicating passages, while a series of pipes connect the main grate bar with the upper portion of the boiler, and a pipe connecta the lower portion of the boiler with the grate. A practically equal distribution and circulation of water in all portions of the grate are assured, and normally all the water from the pump passes through the grate before entering the boiler,

Statiway Appliances.

FARE Box.-Oscar Katzenberger, San Antonio, Texas. This invention provides a receptacle for feres especially adapted for use on care or other vehicles, the fare to be paid by each occupant upon entering, and the construction permitting the driver, motorman, or griuman to readily ascertain the amount of fares paid. Each fare is registered as paid in, and the receptacle may be opened by the driver or conductor to make change. The person depositing the fare may also know immediately that it has been registered, and coins paid in excess of or in denousinations less than the coin re are delivered to a receptacle not accessible to the conductor or driver.

Electrical.

UTILIZING ROBSTGEN RAYS.—Charles F. Easton, Wallace, Idaho. An improved lantern for employing the Roenigen rays for experimental, demonstrative or practical perposes, has been devised by this inventor, the lanters body being opaque to X rays, and having a front aperture and fixed disk whose central eponing registers therewith, while an adjacent parallel rotatable disk has graduated apertures which may be brought into coincidence with those in the fixed parts. Arranged in the case on a sliding carriage is a Crookea tube, and means for making a sapid or slow and fine ad-

TELEGRAPH KET.-Martin M. Porter, Malone, N. Y. This invention provides a simple and positive means for automatically closing the circuit through the instrument after the key shall have been re-lessed by an operator. The improvement comprises a spring plate adapted for electrical connection with a line wire, a key lever, and a finger piece of insulating material, to which is attached a metal contact having electrical connection with the key lover, while a plate hinged to awing vertically on the finger place has a protection adapted to engage with the spring plate to force it out of engagement with the contact on the fluger

ELECTRIC SELLING DEVICE. - Alexander Davidson, New York tity, and Charles G. Armstrong, Chicago, Ill. To sell reserved seat tickets at different stations, and prevent the sale of the same ticket at two different stations, according to tale invention the stations are connected electrically and each has dupli cate electrical apparatus, whereby a sale at one station is aniomatically reported at the other stations. If the same ticket be offered for sale at two different points, the device is rendered inoperative and a visual or audible aound is given. The invention comprises synchronous clocks connected in circuit with a master clock, each clock being combined with a commutator, battery, signal bell, and snounciator board, etc., there being also a three-wire circuit for the operative parts of the ticket selling de-

Mining, Etc.

SILVER AND GOLD ORE PROCESS. Henry Hirsching, Sait Lake City, Utah. This process relates principally to the obtaining of copper from cop-per ores, but is also applicable for obtaining the silver nd gold, whether with or without copper." It is an am-nomia process, especially advantageous and economical with refractory orea, whether with or without copper, and where melting or other processes would not be estimated or profitable, and consists in subjecting them to the action of a solvent to dissolve the metals and then electrolyning the solution, first with a cathode of the precious metal and then with a cop-

Mechanical.

METALLIC PACKING. — Edward: L. McNuity and Thomas McDernott, Cincinnati, Ohio. Rayneford, Susquehanne, Pa. This invention in for an improvement on formerly patented inventions of the spindle, which is extended at each side and engages two-METALLIC PACKING. - Edward L spirite, which is extended at each sing for use on piston can claim and provides a packing for use on piston and raive rods, piston slide valves, and other machine parts, the packing being arranged to prevent all leakage, and readily compensate for over of the parts, insuring a perfect joint at all times. It is made with a sectional ring round, but when not so required as supports the rods.

and George A. Brown, Carthage, Mo. This is a jack of Newburg, N. Y. To furnish a cheap and smooth track the screw type which may be operated in small space for wheelmen between towns and villages, and one

and with but little friction, being capable of elongation in both directions from the center to a length equaling twice its length when closed. The screw rod of the jack has right and left threads starting from its center, each thread engaging an interiorly threaded cap, and the ends of the caps having teeth to interiock with wood or other material with which the jack may be operated, cylinder with independent longitudinal fluce, the furnace these caps also engaging the auxiliary screw threaded discharging successively into the fluce, and there being a caps or extension pieces, to provide for a greater range

Agricultural,

LISTER CULTIVATOR. - Cornealious P. Welter, Purry, Kanaas. The cultivator blades of disks of this simple and inexpensive machine are at opposite sides of the runners, and may be simultaneously raised or lowered, there being means for adjusting the blades or disks toward and from the draught line of the carrier, in proper position for rows of different widths. parallel sieigh shaped runners are connected by arched bars, and a rock shaft journaled on the runners has arched center and angular ends on which the cultivator blade carriers are mounted, and the shaft is rocked to raise and lower the cultivator biades by means of a hand lever within easy reach of the driver

CUTTING ROOTS, ETC.-John J. Sherman, Traverse City, Mich. The body of this maci comprises a box slotted in opposite sides, a cutter in the front siot and a handle lever projecting through the rear slot, the lever having a broad portion adapted to serve as a false oscillatory bottom to support the tubers or roots placed in the box to be cut. The knife may be readily removed for sharpening, and is adjustable for varying the thickness of the pieces or slices cut; it also has attached short supplemental knives to further divide the material into pieces or slices.

Miscellaneous.

CENTRIFUGAL MACHINE. - Peter Cooper Hewitt, New York City. Two patents have been granted this inventor for an improved machine for seen grantes thus inventor for an improved machine for separating liquids from viscid or solid substances by centrifugal force, the construction being designed to obtain the best effects with a minimum expenditure of power, and effect the complete separation of substances where partial success only has heretofore been obtained. where partial success only has increasive occar obtained. The invention comprises a separating bowl of small dismetier and comparatively great length, with weirs for controlling the distribution of the liquid or mixture to be operated on, there being a peripheral discharge controlled by a valve and valve operating mechanism Combined with the bowl are perforated hoops and per-forated annular plates within the bowl to check the free circulation of the material acted on, and we're of novel construction discharge the light and heavy liq-uids automatically into hoods. The bowl has improved unds automatically into moons. The bowl has improved bearings at its upper and lower ends, to facilitate the maintenance of a high velocity, there being a labricating device for the lower bearing and an adjusting device for the upper one. The later improvement more especially adapts the machine for the separation of liquids and such solids and semisolids as are discharged from the separating bowl with difficulty, and for the separation of living organisms which have a different density from the liquid they grow in, but have the power to remain susnded in the liquid.

APPARATUS FOR ARRATING LIQUIDS. This is a further invention of the same inventor, especially applicable in aerating waters, beer and other liquids. It consists of a centrifugal machine constructed particularly to reduce the liquid to the form of an ex-tremely thin film, the machine being operated in a covered vessel suitable for the required pressure, and the beer or other liquids being aerated while in the form of a highly attenuated film. When it is necessary to carry on the operation under a pressure greater than that at which the liquid is to remain, the liquid is carried to a storage reservoir through a pressure reducer which allows the gas to expand in the reservoir, whence it is taken back to be used again in aeration, while the liquid is hold in the storage reservoir at the required reduced

BEER MANUFACTURING APPARATUS. —Still another patent of the same inventor provides an improved apparatus for brewing, in which the ferment-ing vat is connected with a gas receiver, where the gas developed may be stored under pressure, and a cooling chamber, from which the boar is conveyed to a separator or purifier and aerator, the latter being connected with the gas receiver to utilize the gas generated during fer-mentation. A valve controlled pipe connects the beer receiving tank with the serator, and a connected storage tank is also connected with the serator and the gas re-

PROTECTING REGISTRY ROLLS Charles A. Schindler, Jr., West Hoboken, N. J. To arrange to its exhibiting the names of voters that they may be readily examined, and posted where desired without being damaged by the weather, this invention provides a protecting casing having an opening in its bottom edge, an upper spring-actuated roller to which a flexible car-rier is attached, there being stops at the top and bottom of the case and a combined guide and stop on the car-rier, with means for clamping the registry rolls to the By rem ig the cap of the c with its carrier, and the registry rolls are all easily re-

BICYCLE SUPPORT. - Francis having overlapping joints, and on its periphery is a transverse recess extending over the overlapping joint, a segmental black fitting in the recess to cover the joint.

LIFTING JACK.—William W. Goodwin

BICYCLE TRACK.—John B. Hansler.

which may be readily constructed in a more direct course than the ordinary highways, is the object of this inves-tion, according to which the track is formed of metal plates having their edges rolled upward and inward and beaus saving their edges routed speak and inward and then outward, devotall locking devices fastening the ends of the plates to each other and to supporting cross beams, the latter being held up by vertical posts which extend into the ground through plates which act as sills. The posts are adjustable to support the cross timbers and track at the desired level, and drainage holes are recyclided in the track plates.

BREAKDOWN FIREARM.-Charles E. Whilden, Charleston, S. C. For three barrel guns hav-ing two shot barrels and a rifle below and between thom, this inventor provides an improved arm with a resable rifle barrel, to be so placed in connection with shot barrels that it can be attached fismly to a suitable anot carress has a cam be attached namy we similare support, and quickly removed when it is desired to lighten the gun, the removable barrel permitting the employment of many different calibers of rifle barrel with the same stock. A cocking and firing mechanism for the rifle hammer is located within the body of the gun, and the trigger is of novel construction, only two trig-gers being required for the three barrels.

TYPEWRITING MACHINE.-Andrew J. Speare, West Plains, Mo. This invention is for an improvement in typewriters which, after a line of writing is completed, return the carriage and cylinder automatically instead of by hand, and provides an improved con-struction and arrangement of parts for feeding the car-riage positively and directly by the action, of the keys, for automatically returning the carriage after a line of writing is completed or in the middle of a line, and for tically turning the cylinder to p

CASH INDICATOR AND REGISTER. John F. Parker, McPherson, Kansas. This is a machine of comparatively simple mechanism for registering all individual sales and cash receipts from one cent up-ward, and indicating the total amount of sales and recelpts. By pressing down a finger piece at one side of the casing, the registration of the previous sale is canceled and the cash drawer opened, to be closed by hand after the next registration is made, but, to guard against compounding the registrations, only fifteen seconds is allowed for the drawer to remain open, automatically working mechanism then locking the parts. This time may be varied according as the owner desires in setting

A NEW COLORING AGENT.-Georg H A NEW COLORING AGENT.—Georg H. Weiss, Charlottenburg, Germany. To form black chrome mordanted wool dyestiffs exceedingly fast to light, milling and soap, this inventor has devised a process of making carbonyl metadiamido salicylic acid, which consists in treating nitroamido salicylic acid with phosgene, thereby producing carbonyl metanitroamido salicylic acid having a melting point of approximately 265° C., and finally reducing the product to carbonyl metadiamido salicylic acid, soluble with difficulty in water and alcohol, insoluble in benzine, ligrolne and chloroform, easily diazodisable, the diazo compound-forming, by combination with the usual color producing forming, by combination with the usual color producing

DIE HOLDER AND BOX.-Robert Turner, New York City. To hold dies for stamping and embossing, this box is open at one end, and has a removable end piece held by catches, there being die clamping devices in the end piece and in the opposite side of the box, while a false side and its opposite side have guideways for the dies, held in place by a clamping device. The hox is arranged to hold generate dies formdevice. The box is arranged to hold separate dies forming matter to be stamped or embossed, the dies being interchangeable to permit of setting up any desired mat-

PAPER HOLDER.-Thomas P. Mautz Stewardson, Ill. Two patents have been granted this inventor for a superior receptacle for paper in sheets of different lengths or paper bags, the device holding the material in graduated arrangement, enabling a person to readily select and withdraw a sheet or bag of the dereadily select and withdraw a sheet or bag of the de-sired dimensions. The holder has a box or body por-tion with removable partitions, having pockets at their lower ends, and each partition being independent, al-though each serves to brace and strengthen the casing or holder. The bolder is used in an upright position for heavy paper and in inclined position for light or manila paper. Although principally intended to hold wrapping paper, it can be used to hold any kind of sheet paper, its simplicity and cheapness making it practical for everyday use.

PREPARING NUTMEAL. - John H. Kellogg, Battle Creek, Mich. To produce an imprarticle from peanuts or other nuts, this inventor blan the kernels and removes their cuticles, then boils them for several hours until they are thoroughly cooked and soft, dries the cooked product, and subjects it to a heavy pressure between rollers. Two products are thus obtained, a dry and practically white nutmeal and a pasty salutance described as not butter.

Norg.-Copies of any of the above patents will be furnished by Munn & Co. for 10 cents each. Please send name of the patentee, title of invention, and date of this paper.

NEW BOOKS, ETC.

E UNIVERSITY TUTORIAL SERIES.
THE TUTORIAL CHEMISTRY. Part I.
Non-metals. By G. H. Bailey. Edited
by William Briggs. London: W. B.
Clive, University Correspondence
College Press. New York: Hinds &
Noble. Pp. viii, 226. Price \$1.

which scope is fixed by the requirements of the English This renders them of restricted value for the American student.

CLAY GLAZES AND ENAMELS. With a ay Glazes and Enamels. With a supplement on crazing, its causes and prevention. By Henry R Griffin, C.E. The whole forming a treatise on glazing and enameling brick, terra cotta, and pottery. Including exact recipes and formulas for all the principal colors now in use and full instructions for their preparation and application. Indianapolis, Ind.: T. A. Randall & Company. Pp. 138. Price \$5.

Of all practical subjects, the subject of the prehas been one the details of which are most difficult to obtain. A glasse which would not crack and which would work with unfailing certainty time after time has been a lesideratum for a long time The present work on the subject very thoroughly tells not only how to make glaz-ing, but gives the technique of the blending, etc. It is not too much to say that it will fill a long feit want, as it falls in the field of what has long been a trade secret.

TURKEYS AND HOW TO GROW THEM. A RKKYS AND HOW TO GROW THEM. A treatise on the natural history and origin of the name of turkeys, the various breeds, and best methods to insure success in the business of turkey growing. With essays from practical turkey growers in different parts of the United States and Canada. Edited by Herbert Myrick. Copiously illustrated. New York: Orange Judd Company. 1897. Pp. vii, 154. Price \$1. Price \$1.

graph treats of a subject of great interest to This mone farmers. No gallinaceous bird perhaps is more trouble some in managing than the turkey, and certainly none can be said to give more satisfactory results. This monograph should lend to increased success in the cultiva-tion of the noblest of the tribe, and in the present days of poultry raising, the use of the incubators and other re-fined supplements lead to more than the ordinary ex-

HYPNOTISM UP TO DATE. By Sydney Flower. Chicago: Charles H. Kerr & Company, 56 Fifth Avenue. 1896. Pp. 161. Price \$7.

The author of this curious book seems to be a be ever in some of the extreme views of hypnotism and at the same time states his views in a very guarded way, so as to give one the idea that he is very conservative. The book is written in the form of dialogues between a physi-cian who is a hypnotist and his patient. The author in-geniously enough shows some skill in avoiding troublesome explanations. Thus, at the end of the first chapter, he states that the doctor explained the feats of mind readers, and, instead of giving them, states that the exreaders, and, instead of giving them, states that the ex-planations were so simple and so convincing that the author perfers not to publish them, not wishing to make public the evidence of his own guilibility. Had be given a real, thorough treatment of the subject, instead of thus avoiding it, and had he devoted some space to the natural magic of the mind reader as well as to the hypnotist, he would have performed, we think, a very acceptable ser-vice. The perchalogist of the day in withertine between vice. The psychologist of the day is vibrating between full fiedged hypnotism on one hand and materialism on the other, and this book may be a contribution to the lighter literature of the subject. Some of the author's criticisms on Conan Doyle and others are very amusing.

DIE BRARBEITUNG DES GLASES AUF DEM BEARBEITUNG DES GLASES AUF DEM BLASETISCHE. Ein Handbuch für Studirende, welche sieh mit Wissen-schaftlichen Versuchen beschäfti-gen. Von D. Djakonow und W. Ler-mantoff. Mit 30 Abbildungen. Ber-lin: Verlag von R. Friedländer & Sohn. 1805. Pp. xiii, 154.

This nicely illustrated book with contents, but, unfortunately, without index, is devoted to glass blowing for the chemist and physicist, including the manufacture of strictly scientific apparatus by glass blowing before a biast lamp. The author follows the German custom of using a single biast lamp, instead of the converging jets of flame so generally used by the professional glass blower. The book is very systematically arranged, well illustrated, and its divisions indicate really thorough covering of the d. It seems as if the work might repay tra except that America is hardly yet ready for this class of

THE MANUAL OF STATISTICS AND STOCK EXCHANGE HAND BOOK. New York: Charles H. Nicoll. 1897. Pp. 500. Price \$5.

The nineteenth annual issue of this work maintains the reputation of its predecessors, which has made the publication a standard reference authority for investors, bankers and brokers, and all interested in the values and fluctuations in prices of properties whose securities are dealt in by the public. The book covers especially all railroads and street railways, miscellaneous corporations, coal companies, cotton and petroleum, banks and treet anies, insurance companies, the mineral industries

METALS: THEIR PROPERTIES AND TREATMENT. By A. K. Huntington and W. G. McMillan. London and New York: Longmans, Green & Company. 1897. Pp. 562. Price \$2,50.

In the series of text books of science adapted for the Noble. Pp. viii, 226. Price \$1.

THE UNIVERSITY TUTORIAL SERIES. By William Brigars and G. H. Brvan. London: W. B. Clive. New York: Hinds & Noble. Pp. viii, 260. Price \$1.

These two works are designed to cover chemistry and statics as required for passing the London University examination for a degree. Like all such books, while useful, they are of limited and accurately defined soope, use of artisans and students in public and science scho

Queiness and Personal.

ove for insertion under this head is One Dollar a for each insertion; about eight words to a line, extisements must be received at publication office inty as Thursday morning to appear in the follow-yck's issue.

e Iron Works. Chicago. Catalogue free. rade well drills. Loomis Co., Tiffin, Onio "Metal Polish. Indianapolis. Samples free. e Notions. Waterbury Button Co., Waterb'y, Ct. for your wire or sheet metal specialties. The

ved Bicycle Machinery of every description. rvin Machine Co., Spring and Varick Sta., N. Y. brass letters for sweating on metal patterns of night & Son, Seneca Falls, N. Y. Drawer 1115.

cie Houses – cheaper than brick, superior to "Ransome," 757 Monadnock Block, Chicago. nery manufacturers, attention! Concrete and mixing mills. Exclusive rights for sale. "Ran-757 Monadnock Block, Chicago.

est book for electricians and beginners in elec-s" Experimental Science," by Geo. M. Hopkina. 84. Munn & Co., publishers, 361 Broadway, N. Y. By m. A. Munic Co., Pulse and Co., Pulse Wishes to correspond with capitalists or investment companies with aview to organizing a stock company for the purpose of manufacturing press brick by hydraulic pressure (a reent and modern invention). Address T. A. Gordon, Shelbina, Mo. References given.

Colorado's Gold Fields, Illustrated.

Just out, with correct map and nearly 100 mining views natural as life. This valuable book will be sent free prepaid with our big 56 col, family apper 3 months on trial for 35:: club of 5 and 5 books \$1. Latest mining news. Mention the S. A.M. and address litustrated Weekly Sen-tinel, Denver, Colo. Cripple Creek is fully described.

For Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn. Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of bouses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

expected without remaineration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(7158) J. W. W. asks (1) for a rule for etting over a lathe tail stock, for turning tapers. A. Set over the tail stock equal to half the difference in the diameter of the cone for the whole length between the centers. 2. Do lenses ever lose their magnifying power or become non-achromatic ? A. Lenses do not lose their magnifying power nor become non-achromatic. there any benefit derived from sleeping with the head toward the north? A. A magnetic soothing effect is claimed for the meri-lional position of the body in sleep. Perhaps imagination has much to do with it. 4. Is there a process for making green prints like the fero-prus-siate or blue print, except the difference in color? A. Green prints are made by using a green pigment in the

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

APRIL 27, 1807.

AND EACH BEARING THAT DATE.

See note at end of list about copies of these

The state of the goods column of those butter	
Accounterment support, C. Dodge 5	81.541
Air heater, compressed, J. H. Roadley	61,463
Alarm device, electrical, J. J. Barton	61,528
	21 642
Ash ejector, H. See	81,530
Ash ejector, H. See. Ash ejector for steam vessels, H. See.	61,521
copulat, method of and apparatus for remains.	
H. A. Frasch	81,546
sphaltum, apparatus for refining, A. F. L. Bell., 5	81 677
	81,413
	81,274
Sarber's chair, G. W. Archer	81,647
arrel platform, portable, W. A. Smith. Sarrel, steel, J. McDonald.	81,498
	61,530
	61,423
ded bottom, J. A. Lamphier.	61,397
ded pan, D. Hogan	61,586
edstoad, G. Rogers.	81 300
	81,486
blevela P C Amold	61,355
ell bievele A E Bookersh	61,367
scycle and bicycle course, E. R. Allen	61,500 61,501
deycle brake, J. H. Bullard.	81,654
leyele brake, C. F. De Redon	81,305
Cycle brake, W. & W. S. Valentino	81,444
icycle crank hanger W F Hawes	81,683 81,305
ryce brake, C. F. De Redon	61 301
leycle handle bars, hand rest for, A. W. Biddle 5	31,300
sicycle lock, L. Williams.	
Cycle annexest T W Colo	61,560
Cycle androse d. W. Colemannian	81,387
P. Goldsmith	61,550
	41,000
ford. fo	61,499
licycles handle port, W. A. Douglas	61,575
son	
inder, temporary C & Denter	5L,267
alind fastener, R. Hayden	51,674

Movertisements.

ORDINARY RATES.

Inside Page, each insertion -- 75 cents a line Back Page, each insertion --- 81.00 a line For some classes of Adverti

The above are charges per agate line—about eigh words per line. This notice shows the width of the line and is set in agate type. Engravings may bead advertisements at the same rate per agate line, by measure ment, as the letter press. Advertisement must be received at Jubication Office as early as Thursda; morning to appear in the following week's issue.



695 Water St., Seneca Falls, N. Y. SCIENTIFIC AMERICAN SUPPLE MENT. Any desired back number of the SCIENTIFIC AMERICAN SUPPLEMENT can be bad at this office for 10 cents. Also to be bad of newsdesiers it. all parts of

POWER & FOOT SHAPERS PLAN LATHES, MACHINE SHOP DOLL SEBASTIAN LATHE GO 120 CULVERT ST. CIL

SCREW EYES

Roll Thread. Gimlet Point.

NEW AUTOMATIC MACHINES FOR MAKING SAME IN Send for Oircular BLAKE & JOHNSON,

P. O. Box 7 WATERBURY, CONN.

Queen" Builder's Transit \$100 IMPROVED TRANSITS AND LEVELS





Water Emery Tool Grinder

Has no pumps, no valves. No piping required to supply it with water. Always ready for use. Simplest in construction, nost efficient

in operation.

**EFF Send for catalogue and prices

W. F. & JNO. BARNES CO.

1999 Ruby St., Rockford, ill

THE CARBIDES AND ACETYLENE Commercially Considered.—By T. I., Willson and J. J. Suckert, Ph.D. A consideration of the carbides and acetylene from a commercial point of view, preceded by a brief history of these compounds, the methods of their formation, and their chemical and physical properties. With Bullbarrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1013 and 1016. Price 10 cents each, To be had at this office and from all newsdealers.

AMERICAN PATENT Pop Safety Valve

For Marine and Stationary Boliers.
rtable and Farm Engine Valves, Locostive Valve and Muffler, and American
come Heater Valve.

Send for Catalogue A.

AMERICAN STEAM GAUGE CO.

26 & 38 Chardon St., Boston, Masse



GATES ROCK & ORE BREAKER, Steam Ore Stamp, Mining Machinery, 50 years experience as builders. GATES IRON WORKS, Dept. C, 050 Eisten Ave., Ohicago,

HARTFORD, CONN.

THE - BILLINGS - PIPE - WRENCH Jaw Drop Forged from Best To Few Parts. Best Workmanshi

pipe taken. Length 14 inches. Takes pip from 14 to 134 inches. Send for Oir. P. W. THE BILLINGS & SPENCER CO.

DORMAN'S 吧 VULGANIZERS

Manufacturers of Steam Ma-Rubber Stamps. We also make Vulcanizers. Complete State 1910.00. A Brass and Steel Dies 1910.00. Brass and Steel Dies Call kinds. Established 1898. Send for Outsingues.

THE J. F. W. DORMAN CO. 121 E. Fayette St., Baltimore, Md., U. S. A.

THE COPYING PAD.-HOW TO MAKE and how to use; with an engraving. Practical directions how to prepare the golatine pad, and also the anliline ink by which the copies are made, how to apply the written letter to the pad, how to take off copies of the letter. Contained in SCIENTIFIC AMENICAN SUPPLEMENT, NO. 438. Price 10 conts. For sale at this office and by all newsdealers in all parts of the country.



	Smeritan.		
1	Blower, rotary, T. W. Green. Boller cleaner, J. M. Maxwell. Boller cleaner, J. M. Maxwell. Bottle, W. Kampfens, F. S. Bradley. Bottle, W. Kampfens, F. S. Bradley. Bottle, antirelliling, G. W. Roberts. Bottle cap, non-removable, W. C. Barrett. Bottle cap, non-removable, W. C. Barrett. Bottle, non-redilable, E. Smyth. Bottle, non-redilable, B. Smyth. Bottle, non-	861,418	
_	Book staying machine, F. S. Bradley	581,507 581,501	
	Bottle, Riley & Crary.	581,501 581,517 581,618	ľ
ee	Bottle attachment, mucilage, L. E. Wright	561,323 561,649	
d	Bottle, non-refiliable, H. L. B. Lee	381,397 1	M
t	Bottle stopper, F. L. Siegel	561,627 561,503	6
it 0, r- 10	of, J. Schumacher	581,415 681,306	ľ,
y.	W. Lysinger. Brocket See Lemp brocket	561,513	-
-		10.57	,
	December of a second of the formation of the second of the	581,490	Ľ
1	Lapp. Lapp. Buckle, F. W. Smith. Building material and making same, J. J. Czepull Buoy, automatic bell, H. C. Johnson. Burning liquid fuel, apparatus for, H. A. House. Cable tension regulating device, E. Carles y Amat.	561,354 561,486	1
	Building material and making same, J. J. Czepull Buoy, automatic bell, H. C. Johnson	581,478 581,349	
ı	Cable tension regulating device, E. Carles y Amat.	501,480	
	Cable tension regulating device, E. Carles y Amat. Cake mixer, A. J. Saitsman. Cal, electric, H. C. West. Can cover, sheet metal, M. Ams. Can filling machine, C. E. Barber. Cannou, sacht, W. W. Scott. Capon tasto, Ferreira & Giseke. Car brake, L. Brice. Car brake, L. Brice. Car brake, L. Brice. Car brake, Cannon, Saitsman. Car coutrolling, W. E. Sauerman. Car coupling, W. E. Sauerman. Car center, J. W. Angell. Car fender, J. W. Angell. Car fender, J. F. Butler. Car fender, J. F. D. Browne. Car wheels, machine for spinning, J. Henderson Carbon, recovering floculent, S. Cabet. Carding machines, automatic combined alarm and stop mechanism for, J. F. Geb.	581,645 581,498	K
ď	Can cover or the like, C. H. Leggett	561,446 561,298 561,267 561,366	-
	Can filling machine, C. E. Barber	581,398 581,495	١
-	Car brake, Damon & Pearson.	581,495 581,545 581,415	
C	Car coupling W E Sauerman	581,429 581,557 561,308	q
10	Car fender, J. W. Angell	581,646	84
	Car fender, C. L. Roggentine Car fender, Shoemaker & Bittner	581,657 561,667 561,634	PE
ı	Car gate, P. E. Collins. Car sign, J. D. Browne.	561,586 561,508 561,284 561,301	204
4	Car wheels, machine for spinning, J. Henderson Carbon, recovering flocculent, S. Cabot	561,391	-
,	and stop mechanism for, J. F. Geb	581,548 561,272	
•	Chair. See Barber's chair. Dental chair. Chair attachment. H. A. Smith.	581.524	
	Charactering machine, J. O. Clark. Chimney cap, F. Barker	561,268	
1.	Churn, J. A. Adams	581,584 581,644	
	Cigarette box, H. R. Corkhill, Jr.	581,584 581,644 581,609 581,339 581,560	
	Carbon, recovering fooculent, S. Cabot. Carding machines, automatic combined alarm Carding machines, automatic combined alarm Castling machines, automatic combined alarm Castling machines, automatic combined alarm Chair, See Barber's chair. Bental chair. Chair attachment, H. A. Smith. Charactering machine, J. O. Clark Chimner cap, F. Barker. Chimner cow, F. Barker. Chimner cow, F. Barker. Churn, J. A. Adams. Churn, G. A. Norcross. Cyarette box, H. R. Corkhill, Jr. Claracter making device, pocket, E. G. Lane. Clasp, See Coll clasp. Claaner. See Boller cleaner. Cleaner. M. J. Gultrie.	301,300	
	Clothes rack, J. R. Coberley	581,581 581,309	
	Clutch and analogous devices, friction, F. M. Leavitt.		1
	Coal cutter, pneumatic, Cartlidge & Wright Coal drill, T. Husband	561,292 561,572 561,558 561,452	
١	Coat protector, R. J. Bellamy. Coil clasp and apparatus for forming same,	501,402	O le
	Color compound, naphthol black, Hoffmann &	561,336 561,300	e
ı	Weinberg (reissue)	11,598 861,635	N
	Leavité and analogous vortes, friccon, F. M. Leavité, pneumatic, Cartilige & Wright. Coal drill, T. Husband. Coat procector, E. J. Bellamy. Templin & Ternstedt. Templin & Ternstedt. Collapsibir box, H. Norman. Color compound, naphthol black, Hoffmann & Weinberg (reisaue). Comb back, J. Walton. Cooling, aerating, and evaporating fluids, apparatus for, R. G. Sueath. Coop, exhibition chicken, F. Saumenig. Core boring apparatus and means for gripping and raising cores therewith, F. H. Davis (reisaue).	581,439 561,872	
	Coop, exhibition chicken, F. Saumenig	561,372	9
	and raising cores therewith, F. H. Davis (re- issue). Corsto tover, M. Galland. Coston openers, cleaner trunk for, J. C. Potter Couch, box. Martin & Houchens. Coupling, Sensor and the coupling. Crucible furnace, C. J. Bes. Curtain fixture, J. A. Mints. Curtain fixture, J. A. Mints. Curtain fixture, J. A. Mints. Curtains, poles and ring, Benson & Fellows. Curtains, poles, etc., for suspending, F. Schenker Cutter. See Coal cutter. Hasp cutter. Cycle gear cases, apparatus for manufacturing, H. W. Dover. Damper regulator, A. E. Burrows. Dental bridgework, C. M. Carr. Dental chair, B. M. Wilkerson. Dentals instruments, sterliker for, G. N. Old- Dentals instruments, sterliker for, G. N. Old-	11,507 561,579 561,471	-
	Couch, box, Martin & Houchens	581,471 561,664	
•	Coupling. See Car coupling. Shut off coupling. Crane, traveling, R. Lavery	A81,467	ŀ
oh	Curtain fixture, J. A. Mints.	581,665 581,380	ı
	Curtain pole and ring, Benson & Fellows	561,475 561,631	L
	Cutter. See Coal cutter. Rasp cutter. Cycle gear cases, apparatus for manufacturing,	,	
	H. W. Dover. Damper regulator, A. E. Burrows.	561,576 561,384 561,335	
C	Dental chair, B. M. Wilkerson.	561,670	-
d	Dental chair, B. M. Wilkerson. Dentists' instruments, sterilizer for, G. N. Old- ham. Direction and speed device, variable, S. L. Hey-	581,407	
y T	wood Disks, mechanism for controlling action of oscil-	561,286	3
100	Display counter, E. H. Grant.	581,610 581,345 561,441 581,511	
ĭ	wood. Disks, mechanism for controlling action of oscillating, J. Thomson. Display counter, K. H. Grant. Door check, F. G. Stephenson. Door lock, sliding, A. F. Lewis Door operating device, automatic, Cooney &	561,511	
-	Door or window fastening device, automatic, Cooney & Coon	561,338 561,552	1
	Draught equalizer, E. E. Hobbs	581,261 581,586	
ı	Downdraught furnace, S. T. Bleyer. Draught equalizer, E. B. Hobbs. Drill. See Coal drill. Electric generator, C. C. Pools. Electric machine, magneto, E. B. Cutten. Electric motor controller, W. H. Chapman. Electric signal, semaphoric, B. S. Roberts. Electrical connection, H. P. Brown. Elevator plants, operating bydraulic, R. C. Smith.	581,366	ō
	Electric motor controller, W. H. Chapman	561,658 561,430	1
	Electrical connection, H. F. Brown	561,203	3
1	Smith	800,180	1
	End gate, wagon, C. Schalles	561,630	
-	Jordan engine. Rotary engine.	561,269	Δ
	Excelsior machine, W. F. Ott	581,679 581,651	7
1	Extractor. See Lemon juice extractor. Eyeglasses or spectacles, G. W. Meigs	581,359	1
	Fare register, F. Herit. Fastener, W. B. H. Dowse.	561,392	-
1	Fence post, Buckingham & Moore	581,653	1
1	Fence, wire, W. S. Sutton	581,400 581,443	
1	File grinding machine, J. Turner	581,473 581,334	
1	Filtering and cooling system, water, J. H. Brady Fire alarm, thermostatic, Enholm & Beck	561,544 561,544	-
H	Fire door, standard, T. G. Lamb.	561,353 561,652	A
	Fire hose connection for stand pipes, A. Engel	581,342 581,357	es of
	Fishing reei, C. H. F. Kraft. Flower stand, folding, C. S. Simpson	581,291 561,376	th
	Flush tank, M. C. Moore	581,410 581,410	1
В	Electrical connection, H. F. Brown. Electrical connection, H. F. Brown. Elevators means for operating bydranic, H. C. Broth. Elevators means for operating control devices of, R. C. Smith. End yate, wagon, C. Schalles. Engite. See Gas engine. Gas or vapor engine. Jordan engine. Rotary engine. Envelop, M. King. Excelsior machine, W. F. Ott. Exchibitor, picture, G. W. Brown. Extractor. See Lemon Jaice extractor. Eyeglasses or spectacles, G. W. Meigs. Fare register. See Lemon Jaice extractor. Eyeglasses or spectacles, G. W. Meigs. Fere to the W. B. H. Downe. Fence post, Buckingham & Moore. Fence post, Buckingham & Moore. Fence wire joining device, J. A. Threehouse. File griading machine, J. Turner. Filtering and cooling system, water, J. H. Brady Fire alarm, thermostatic, Einholm & Beck. Fire door, standard, T. G. Lamb. Fire scape, portable, F. Brown. Filtering automatic, F. Von Mannischer. Filter en automatic, B. F. Brown. Filter en automatic, M. W. Lydon. Fishing reel, C. H. F. Kreft. Flower stand, folding, C. S. Simpson. Filush tank, M. C. Moore. Fiy gaard for doors, F. A. Biels. Fodder binder, F. R. Gottschalk. Fodder binder, F. R. Gottschalk. Fodder binder, F. R. Gottschalk.	581,394 561,393	pi
11	Prog, Iteracama, dilbert a Coylie.	TOTAL PROPERTY.	CE

581,393 581,518 \$61,34*
\$61,50*
\$61,50*
\$61,455,561,456
\$61,455,561,470
\$61,571
\$61,571 bage receptacle, F. V. Winters...
apparatus for carbureting water, R. Norris...
engine, W. O. Worth.
lighter, electric, L. L. Borradalle.
lights, mantle or hood for incandescent, E. Nienstaedt Gas or vapor engine, E. P. Woillard. Gas voltameter, H. A. Naber. Gate. See Car gate. End gate. Wagon tali gate. Water gate. Wire gate. Guerrator. See Electric generator. Stomm gen-Generator. See Electric generator.

Gold saving device, J. Mait. Sel.,635
Golf club, F. W. Brewster.
Governing mechanism for direct acting engines.
J. D. Gray. Sel.,346
Hame, J. R. Weathersby. Sel.,635
Hame, J. R. Weathersby. Sel.,636
Sel.,631 Governing mechanism for direct acting engines.
J. D. Gray
Hame, J. H. Weathersby.
Harmonics, J. G. Smith.
Harness attachment, J. M. Tilman.
Harvesting and binding machine, corn, M. M.
Copp. 581,315 561,408 561,661 561,606

POWER? POWER? POWER!

VICTOR VAPOR ENGINE. Steam and Vapor Launche Row and Sail Bosts. Send for catalogue. Specifi





This beats Wind, Steam, or Ho Power. We offer the WEBSTER 2% actual horse por GAS ENGINE for \$150, less lik discount for ca Built on interchangeable plan. By of best material. Made in lots of therefore we can make the price. B ed for altiment, weight 80 poun Made for Sas or Gasoline. **T Write for Special Catalogue.

WEBSTER M'F'G CO., 1074 West 15th Street, CHICAGO.

EBER GASOLINE ENGINE

WOLVERINE" BAS AND BASOLINE ENGINES, STATIONARY The "Wolverine" is the only re-versible Marine Gas Engine on the market, It is the lightest en-sine for its power. Requires no licensed engineer. Abso-lutely safe, Manufact'd by WOLVERINE MOTOR WORKS, GRAND RAPIDE, MICH.

THE IMPROVED GAS ENGINE.

o cylinders in one casting pies less space and weight or its power than any engine. Can be used wherever pow-required. Either sta-Send for cate INTZ GAS ENGINE CO.,



LUMBERS' IRON LEVEL With Double



C. F. RICHARDSON & SON, O. Bex 977, ATHUL, MASS., U.S.A.



DYNAMOS FOR ELECTRIC LIGHTING.
Special low prices to boom
business.

8 light 16 c.p. 110 volt dynamo 820,50 b 1 110 o 180,000 c 100 c 110 o 180,000 c 100 c 110 o 180,000 c 100 c 110 c

On receipt of ten cents in stamps (practically 20% of re-tail price) we will send you one of our

12-INCH AUGER BITS

fine cutting tool, perfect clearance, especially good in hard wood and for end boring.

FF Send for Circulars ** S A, ** Free. HE FORD BIT CO., HOLYOKE, MASS.



CETYLENE GAS AND CARBIDE OF Il about the new illi ressure of liquefaction performed with it. , ite pr his subject. Apparatus for making the gas. Containe.

8 SCENTIFIC AMERICAN SUPPLEMENT, Nos. 998.

804. 10407, 1012, 1014. 1015, 1016, 1022.

035 and 1038, The most recent apparatus of sim



Prices, from \$6 to \$35. Send for circular, to BACKUS WATER MOTOR CO., NEWARK, N. J.

ARMSTRONG'S . PIPE . THREADING



GUTTING-OFF MACHINES Both Hand and Power.
Sizes I to 6 inches.
Water, Gas, and Steam Fit.
Gers' Tools. Hinged Pipe Vises
Pipe Cutters. Stocks and Die
universally acknowledged to be
THE BEST. EF Send for cut-tog
THE ARMSTRONG MFG. GO.
Bridgepore, Conm.



33 INCREASE IN PRODUC MOSSBERG & GRANVILLE MFG. CO. PROVIDENCE.R.I.

SEND \$1 FOR SAMPLE CELL. WILLARD ELECTRIC & BATTERY CO. CLEVELAND, OHIO.

"It = Cells = About = Cools"



MONTGOMERY & CO.

FINE TOOLS, 105 Fulton Street, New York City.

Experimental & Model Work



THE OBER LATHES

EW Send for Circ The Ober Lathe Co., Chagrin Fails, O., U.S.A.

BLECTRO MOTOR, SIMPLE, HOW TO mass. By G. M. Hopkins.—Description of a small electro solve deviced and constructed when a view to assisting soutcomes to make a motor wavels might be driven who advantages by a current derived from a battery, and which evided have sufficient power to operate a food labbe or say indecime requiring not over comman nower, which evided the sufficient power to the sufficient of the ULTPULAR AST. No. 4641. Proc 10 cents. To be had at this office and from all travaduallers.



F You Hre a Manufacturer of Sheet Metal articles, you are naturally interested in New Machinery, and it will ook only a be stamp to request as to forward any of the following libestrated circulars:
No. 1. Wolling Mill Machinery for sheet metal.
No. 2. Tube and wise Mill Machinery
No. 3. Silverware and Coining Machinery
No. 4. HARDWARE AND COINING MACHINERY
No. 6. BICYCLE MACHINERY
NO. 6. BICYCLE MACHINERY
NO. 6. BICYCLE MACHINERY
NO. 7. SILVERWARE AND STARS GOODS MACHINERY
NO. 8. BICYCLE MACHINERY
NO. 8. SICYCLE MACHINERY

THE WATERBURY FARREL FOUNDRY & MACHINE CO. WATERBURY, CONN.

WROUGHT STEEL Belt & Pulley



in the Warld. Unbreakable, very light. Positively asia. Extremely high speed. Portectly balanced any appead. Cheap first cost and power navez. Steel bashings to St any shaft. Up-to-date dealers will secure territory. EF For price and description, write AMERICAN PHILLEY (O. Bith and Hamilton Stz. Phills. Fa

Chere Hre

50th Anniversary Number of the Scientific American

It is practically a beautiful book of reference of the history and growth of Science and the Indus-trial Arts during the last 10 years.

It is profusely illustrated, printed on beautiful paper, and consists of 72 pages. The price is 20c. a

It has received high encomiums from the public and flatturing editorial notices from more than three thousand contemporaries, on account of its the appearance and the rare excellence of its con-

It will be recognized in the future, as it is now es a standard authority on all scientific subjects someorning the last half century.

Sent to any address on receipt of Mc. Address,

MUNN & CO., Publishers,

361 Broadway, New York City.

CROOKES TUBES AND ROENTGEN'S

Buy Telephones
THAT ARE GOOD-NOT "CHEAP THINGS."
The difference in cost is little. We guarantee our apparatus and guarantee oner customers against lose by patent suits. Our guarantee and instruments are both good.
WESTERN TELEPHONE CONSTRUCTION CO.
250-254 South Clinton St., Chicago.
Largest Manufacturer of Telephones

HOUTS AUTOMATIC TELEPHONE SWITCHES

Some of its advantages; lat. It is strictly automatic. 26. It completely does away with the "manual" switchboard. 26. Connection between subscribers is direct and instantaneous. 4th. No central office operator to hear, delay, or interrupt conversations. 5th. Uniform and uninterrupted service at all hours of day or night. 23" This appliance is sold outright or bleased, at option of customer, and fully guaranteed.

Van Norman Universal Bench Lathe.



A Lathe, Milling Machine, Serew Cutter and Universal Grinder in one tool. The best tool made for all kinds of small work. Made by Waltham Watch Tool Co., SPICINGFIELD, MASS.

THE SANDBLAST PROCESS.—BY J. J. Holtzapfel. A full description of this interesting pro-cess and of the apparatus employed; with a discussion of its capabilities and present and future applications. With 8 illustrations. Contained in SCIENTIFIC AMERICAN BARTHELEMENT, No. 1010. Price 16 cents. To be had at this office and from all newsdealers.



conding a sketch and description may ertain, free, whether an invention is stentable. Communications strictly

etfully illustrated, largest circulation of countils journal, weekly terms \$5.00 a year, six months. Specimen copies and HAND CON PATENTS sent free Address MUNN & CO., 361 Broadway, New York.

'MOON" AUTOMATIC GREASE CUP

It has bevelod leather washer which insures a tight joint and smooth working. Washer can be expanded by adjusting a screw. The spring and plunger are controlled by the thumb aut on top of cup. The feed is regulated by screw. Those excellent features are leaders of others.

AMERICAN INJECTOR CO.
1 Congress Street, W., Detroit. Mich.

SCREW - CUTTING DIE HEADS

SELF-OPENING and ADJUSTABLE.

The best die head on the market. Some advantagee over "otborn," viz. They are smaller, stronger, more compact, have no levers to spring, carnot be clogged by chips, are always reliable, and the prices are right. [#" Send for descriptive circumparties of the send of the stronger of the send of the

X Ray Apparatus



EXCHANGE,

14 Barclay St., New York. 156 Adams St., Chicago. 38 Court Sq., Boston.

818 Wyandotte Street, Kansas City, Mo. We will save you from 10 to 50 per cent, on Typewriter of all makes.

KRAFTUBERTRAGUNGSWERKE RHEINFELDEN. Society for the Utilination of the Water 16, Not H. P. NOW AVAILABLE, TO BE INCREASED TO 10 of the Bale Switzserland.

ings, manufacture of, C. H. Veeder. F. Schutze... T. G. M. Ross. or for gas service pipes, J. W. Bragg untain, J. E. Bartel und, automatic, L. N. Thomas. cetor for as to control of the control of the control of the cole, S. A. West. cole, S. A. West. k. See Window jack. Int. See Rail joint; drain engine, M. A. Mills. grand bearing, R. M. Melhuish. grand box, lubricating, J. Rogers, bel, bottle, H. E. Schwab. dider, D. Hunt. sider, orchard, H. Bowman. sides, apparatus for changing, C. S. Price. sunp, M. P. Sevens. sunp bracket, J. Atwill, Jr. sest, W. B. Arnold. ghter, Weiss & Stockwell. ghter, Weiss & Stockwell. guid cooling apparatus, H. Krack. gnter, Weiss & Stockwell. quid cooling apparatus, H. Krack. quid transferring apparatus, T. M. Richas quids in small particles, distributing or dei lng, P. Lorillard, Jr. and binder, R. M. Kenyon. ck. See Bicycle lock. Door lock. Sash Ssai lock.

com pattern matching mechanism, A. Clapperton.

com picker strap, N. Lemaire.

com weft stop motion, W. McMichael.

681,482

com weft stop motion, W. McMichael.

681,580

fall marking machine, E. Lemyre dit Gaucher.

681,580

fall marking machine, E. Brirdge & Young.

581,583

fanuskate, S. Rabinowitz.

fast, hollow, P. H. McGiehan.

581,581

fast, hollow, P. H. McGiehan.

581,582

fast, hollow, P. H. McGiehan.

581,582

fast, hollow, P. H. McGiehan.

581,583

fast, hollow, P. McGi

lining suppur, regarder, colstening and sealing device, envelop, D. Andrus.

Ould, R. H. Wilson.

Ould, R. H. Wilson.

Outle, R. H. Wilson.

Unitary and Sealing and S

atting stadia noties, instrument for, Janes & 18,500 wand seed distributer, L. J. King. \$61,500 ow gang, E. H. Wagener \$62,401 older, \$61,500 older, \$61,500

Printing wrappers, stencil machine for, E. D.
Beiknap.
Propellier wheel, C. Sinta.
Propelling mechanism, boat, D. A. Briggs.
Pulp, etc., apparatus for straining wood, Wailberg & Ullgron.
Pump por ram, hydraulic, P. O. Palmer.
Pump varve, M. A. Bills.
Rack. See Bicycle rack. Clothes rack.
Rail bond, H. S. Newton.
Rail brake, D. W. Davis.
Rail joint, C. W. Davisca.
Rail joint, Trass, W. S. Brewster
Rail joint, trass, W. S. Brewster
Rail year, trass, W. S. Brewster

Print writch, J. H. Lomax.
way awitch, L. L. Wands.
way awitch, L. L. Wands.
ways, awing bridge for, J. Mackensie,
p cutter, J. Turner.
order. Soe Fassenger recorder.
d. See Flabing ruel.
rigerator, Buder & Culley.
inter. See Faro register.
istering mechanism. W. H. MoFall..

teories. See Flabing ros. Calley.

Lefrigeral See Flabing ros. Calley.

Lefrigeral See Flabing ros. Calley.

Lefrigeral See Flabing ros. Calley.

Legislatering mechanism. W. H. MoFall.

Legislatering mechanism. W. H. MoFall.

Legislator. See Damper regulator. Feed water

regulator. Temperature regulator. Feed water

regulator. Temperature regulator. Feed water

regulator. Temperature regulator.

Ling. See Memory ring.

Ling fast Memory ring.

Lock drill support. T. H. Philips.

Lock drill supp

sars and buttonhole cutter, combined, C. J. Redifer.....

Study Metho Law at

Home SPRAGUE CORRESPONDENCE SCHOOL OF LA

NAZARETH INDUSTRIAL SCHOOL.

UNDER THE CHARGE OF THE SISTERS OF
ST. JOSEPH OF NAZARETH (EPISOPAL).

Industrial training for girls of good character to render them self-supporting.

Torms \$150 a year. No vacations.



DRY BATTERIES.—A PAPER BY L. K.

ICE MACHINES, Corlies Engines, Brewers, and Bottlers' Machinery, The VILTER Mrg. Co., 800 Clinton Street, Milwaukee, Wis.

\$5000 We offer cash for simple ideas, patented or not. Send 10 cents to cover postage and expense, and we will send plan and particulars. H. H. FRANKLIN MFG. CO., Syracuse, N. Y.

DEAFNESS & HEAD NOISES CURED. Our INVISIBLE WORK COMbins help when all size falls and plants they year. NO PAIN. Whiteper being all size falls fand to P. Illocax Co., Sci B B'way, N. Y., for first and Procis FREE

F. N. ROEHRICH & CO., 108 Pulton St., New Machinery Designing, Mechanical and Patient & Drawing, Designs of Mantiacturing Plants and cial Machinery, Detail and Working Drawings furn inventions and Mechanical Problems worked out.



WILLSON CARBIDE WORKS Calcium car-bide. Samples of 200 lbs. \$15 f. o. b. New York, including iron case packages. Patentees and manufacturers for export. Office 20 Maiden Lane, New York.



STEAM ENGINE CASTINGS and GAS ENGINE CASTINGS both Stationary and Marine. Dynamo and motor parts and complete Machines, Risectrical Supplies, Telephones. Send stamp for catalog.
MIANUS ELEC. CO., Mianus, Conn.

SALESMEN ON SIDE LINE
SALESMEN ON SIDE LINE
For Use with Hand Braces.

For Use with Hand Braces.

Displaces Ratchets.

W. L. SMITH. 1365 Arch St., Phila., Pa.



For Railroads, Mills and Manufactories. Builders of Steel Towers and Tanks. La. Red Cypress Wood Tanks a specialty. W. E. CALDWELL CO., 217 E. Main Street, Louisville, Ky.

DIXON'S Write the Smoothest and American Graphite

Mention SCIENTIFIC AMERICAN

PENCILS and send 16 cents for samples

worth double the money.

JOS. DIXON CRUCIBLE CO., JERSEY CITY, N. J.

Experimental Science

By GBO. M. HOPKINS. 17th Edition Revised and Enlarged.



840 pages, 782 fine cuts, substantially and beautifully bound. Price in cloth, by mail, 4. Half morocco, \$5.

This splendid work is up to the times It gives young and old something worthy of thought. It has influenced thousands of men in the choice of a career. It will give anyone, young or old. information that will enable him to comprehend the great improvements of the day. It furnishes suggestions for hours of instructive recreation. Send for illustrated circular and complete table of contents. . . .

MUNN & CO., Publishers, Office of the . .

SCIENTIFIC AMERICAN, 361 BROADWAY, - NEW YORK.

ELECTRICITY

31 COURSES Hydr

AUGH Shorthand; Haglish Branches.

GUARA, TEED SUCCESS.

Igrata. Advance or fastal imports.

Past: Share subject you wish to oduly.

The companion of the bank, Nex 945, Sec.

House Painting Model

new, patented—easily changed into over 20,000 actual color combinations of

PATTON'S

with condensed rules of harmony and con-trast. Sent postpaid upon receipt of ite. -free of our agents. "How to Increase the Size of Your House with Paint," mailed FREE.

JAMES E. PATTON CO., Milwankee, Wis., U. S. A. SUN-PROOF PAINTS.



COPY LETTERS

freen a minute, all legible, use my improved automatic copying machine.

EF Send for flustrated circular.

JOHN H. ANDERSON. 910 Monadnock, CHICAGO.



PORTABLE SINCELE RALL SOURFACE BAINTY, DETAILS SOURFACE BAINTY, DETAILS of construction and description of rolling stock of a new system of portable railway which may be laid along ground that has received he special preparation for its reception. With 19 illustrations, contained in Scientific American Supplement, No. 1914. Price 10 cents. To be had at this office and from

no. 4 Foot Wheel Useful to the Bicycle Repairer. W. W. OLIVER, 1480 Niagara Street, Buffalo, N.Y.

Manufactory Established 1761.

LEAD PENCILS, COLORED PENCILS, SLATE
PENCILS, WRITING SLATES, STEEL PENS, GOLD
PENS, INKS, PENCIL CASES IN SILVER AND IN
GOLD, STATIONERS' RUBBER GOODS, RULERS,
COLORS AND ARTISTS' MATERIALS.

78 Reade Street, - - New York, N. Y



The Scientific American

PUBLICATIONS FOR 1897.

The prices of the different publications in the United States, Canada, and Mexico are as follows:

RATES BY MAIL.

Scientific American (weekly), one year,
Scientific American Supplement (weekly), one year,
5.00

Export Edition of the Scientific American (monthly in Spanish and English,
Sullding Edition of the Scientific American
(monthly),

1.50

COMBINED RATES
In the United States, Canada, and Mexico.
Scientific American and Supplement, - - 7.00
Scientific American and Building Edition, - - 6.00

entific American, the Supplement, and Building Edition. TERMS TO FOREIGN COUNTRIES.

HT TO THE RESIDENCE OF THE PARTY OF THE PART	U. S. Money	Kn Me	gli oos	an Ta
Scientific American (weekly)	84.00	0.1	88	8
Scientific American Supplement (weekly)	6.00	1	4	8
Building Edition of the Scientific American (monthly).	300	0 1	12	4
Export Edition of the Scientific American (monthly) in Spanish and English	3.00	0.1	12	4

OMBINED RATES TO FOREIGN COUNTRIES.

bicycle, J. R. Boice... pneumatic cushion, G. Waisel... vehicle, J. C. Cole... apparatus for repairing pneu-off

Tire, pneumstic cushion, 6. Waisei. 661,567
Tire, vehicle, J. C. Oole. 561,569
Tires, apparatus for repairing pneumatic, J. B. Wolf. 561,641
Tool, J. P. Hutchina. 561,351
Tool, C. M. Silliker. 561,457
Tool of M. Silliker. 561,457
Tool of M. Silliker. 561,457
Tool of M. Silliker. 561,457
Towing appliance, W. B. Savoll. 561,359
Toy, R. C. Leake. 561,451
Toy, R. C. Leake. 561,451
Toy, campaign, T. N. Patrick. 561,451
Toy money box, J. H. Bowen. 561,552
Track cleaner, W. M. Brown. 561,552
Track cleaner, W. M. Brown. 561,552
Transformation box, W. M. Brown. 561,553
Transformation box, W. M. Brown. 561,652
Typewriting machine, G. L. Brownell. 561,652
Typewriting machine, G. K. Anderson. 561,550
Typewriting machine, G. K. Haines. 561,562
Typewriting machine, G. B. Webb. 561,562
Sulth. 561,562
Sulth. 561,562

Valve gear, W. Engberg. Schmidt. Sch. 1981, 572
Valve reseating machine, E. H. Berton. Sch. 581, 572
Valve reseating machine, E. H. Berton. Sch. 581, 572
Valve reseating machine, E. H. Berton. Sch. 581, 572
Valve reseating machine, E. H. Berton. Sch. 581, 572
Valve reseating machine, E. H. Berton. Sch. 581, 422
Vehicle spring, J. Heurie. Sch. 581, 582
Vending machine, J. A. Williams. Sch. 581, 582
Vending machine, J. A. Williams. Sch. 581, 582
Vending machine, C. Gray and manufacturing same, substitute for, Wierdema & Kulpers. Sch. 581, 582
Wagon, dumping, Vernier & Cooky. Sch. 581, 584
Wagon, dumping, Vernier & Cooky. Sch. 581, 584
Wagon tail gate, C. B. Harless. Sch. 581, 582
Warb beaming machine, D. McTaggart. Sch. 581, 582
Warb beaming machine, D. McTaggart. Sch. 581, 582
Washer. See Ore washer. Smoke washer. Sch. 584, 582
Washing machine, washtubs and wringers, support for, Lohr & Bowless. Sch. 581, 582
Washing machine, Device. Sch. 581, 582
Water motor, J. Hurley. Sch. 581, 582
Water motor, J. Hurley. Sch. 581, 582
Wheel. See Propeller wheel. Traction wheel. Wind wheel. Wind wheel. Wind wheel. Wind wheel. Wind whoel. Wind whoel, J. W. Pippin. Sch. 581, 582
Wind mill. Scovel & Boss. Sch. 581, 533
Window, F. V. Greene. Sch. 581, 533
Window, F. V. Greene. Sch. 581, 533
Window Jack, G. Yung. Sch. 581, 583
Wire apring, fiattened coiled, J. Deutsch. Sch. 581, 562
Wrench, See Nut wrench. See Nut wren

	DESIGNS.
	Badge, F. Gray
ı	Bicycle seat pad, C. E. Page. Book cover, W. M. Brinkerboff
ı	BOX W C. Eates
	Box, W. C. Estes Brush back, R. B. Shepherd
	Brush holder, A. D. Mackenzie
	Buckle, J. Mehl, Jr. Button hook handle, A. Soffel.
	Carpet, Magee & Cox
٠	Crank shaft bracket I S Coppland
	Carpet, Magee & Cox. Chair brace, folding, A. K. Hoyt. Crank shaft bracket, J. S. Copeland Crank shaft bracket, H. F. Cunts.
	Cyclometer case, W. L. Shepard
	Cyclometer case, W. L. Shepard
	Furnace, portable, J. G. 11s
	Furnace water front, heating, A. C. Mott
1	Leaving D Armstrong
	Milk cooler easing, W. E. Kornbaum
	Prism light, O. H. Basquin
	Rng A Petroid
ħ.	Spoon cup. J. T. Homan.
ı	Sprocket wheel and chain guard, H. H. Rountree.
	36,580, 7
	Stove, cook, Cope & Bertram,

ve, cook, Cope & Bertram, bilmatory, F. M. Miller, rashing machine cylinder tooth, D. Farquhar, users hanger, W. Evans, ult light, J. G. Pennyoulok, shing machine frame, E. R. F. Hart. tchease, C. L. Depollier for cloust bowl, D. S. Wallace.

TRADE MARKS.

PRINTS.

United States Express Call Card," C. H. Crosby..... 46



The Worden Hickory . * * Frame Wheel

A perfect cushion frame which destroys all vibration can be taken apart and reassembled, and in case of fracture can be replaced by anyone. A simple, strong, and rigid connection. No brasing. The strongerst and cannot vibrium wheel made

The strongest and easiest riding wheel made.

A High Grade Bicycle in all its parts.

The Worden Hickory Frame Cycle Works, Syracuse, n. Y., U. S. H.


Che-Park-Spring-Saddle





BALL BEARING AXLES AND RUB-DEMINING ALLES AND KUB-ber Tires.—A paper road before the Carriage Builders' National Convention, Philadelphia, October, 1894, show-ing the advantage to be derived from the use of bail bearings and pneumatic tires in road vehicles. Con-tained in SCHENTIFIC AMERICAN SUPPLEMENT, No. 8992. Price III cents. To be had at this office and from all newedealers.

The Automatic Neostyle





"COMFORT" SPRING SEAT POST.

Takes up all the vibration. Price.
The latest and only perfect
seat post. No smore pough
roads. Fits all wheels and adddles. Send size of old pret. C.O.D.
on three days' trial. Buy uone dil
you have tried the Co.W.FURT.
COMFORT SPRING SEAT POST CO.
808 Alweed Building. Chicago 808 Atwood Building.

THE BICYCLE: ITS INFLUENCE IN



o C.O.D. with

Perfect Newspaper File.

can Supplement" in gilt. Price \$1.50, by mail, or \$1.25

MUNN & CO., 361 BROADWAY. NEW YORK

Linen Nine Cents Per Pound. operate, as nearly all the work is done automatically. References to leading concerns now using it.

NEOSTYLE CO., 98-102 Church Street, New York City

A good quality for Typowriter or use. In pacing for Typowriter or use. In pacing it.

Oc., Embossors and Catalogue Moltroke, Males, U. S. A.

How to Build a Home



"The Scientific American Building Edition."

Each number is illustrated with a Colored plate and numerous Each number is illustrated with a Colored plate and numerous handsome emgravings made direct from photographs of buildings, together with interior views, floor plans, description, cost, location, owners' and architects' names and addressess. The illustrations include seashors, southern, colonial and city residences, churches, schools, public buildings, stables, carriage houses, etc.

All who contemplate building, or improving homes or structured of any kind, have in this handso mples from which to make selections, thus saving tix

PUBLISHED MONTHLY. SUBSCRIPTIONS \$2.50 A YEAR. SINGLE COPIES 25 CENTS.

For sale at all news stands, or address MUNN & CO., Publishers, 361 Broadway, New York

THE CHICAGO DRAINAGE CANAL. Description of a great engineering work undertaken to prevent the contamination of the city's water supply. With fillustrations. Contained in SCIENTIFIC AMERI-CAN SUPPLEMENT. No. 1617. Price 10 cents. To be had at this office and from all newsdeslers.

5 Aqueduct Street,

SO SIMPLE A CHILD CAN USE THEM
SUNART
MAGAZINE CAMERA.
Folding Cameras.
All sizes, ranging in price from
\$6 to \$100. Sunart Junior, % x
\$6 picture, \$6.
gr Send 2 cent stamp for
Illustrated Catalogue.

SUNART PHOTO CO. ROCHESTER, N. Y.

MANUFACTURE OF STARCH FROM Maize, -By J. Krieguer. Full details of the process.







e as delightful a smoke as any man could ask. Fine, fragrant Natural Leaf Tobacco, illfully grown, selected and cured. Absolutely re; no artificial flavoring, coloring or drugs, new back if not satisfied. From your dealer 100 for \$2.00.
Prepaid, anywhere in the United States.

EMPIRE TOBACCO CO., Wheeling, W. Va.

MONITOR MMOGUL MONITOR WAPOR ENGINE AND POWER COMPANY SEASO FOR EATHLOUSE.

to 60 ft. Launches. Twin Screws a specialty. 1, 2, 8, 5, 1,21 idental 2b. p. No licensed engineer or pilot required. Speed and safety guaranteed. No dangerous Raphtha or Gasoline used. No disagrees able vibration.

15 Send 10 cents in stamps for 1807 Catalogue.

Sarine Vapor Engine Co., ft. Jersey Av., Jersey City, N. J.

Sarine Vapor Engine Co., ft. Jersey Av., Jersey City, N. J.

Modvertisements.

ORDINARY BATES.

Inside Page, each insertion - - 75 cents a line Back Page, each insertion - - - 81.00 a line IN For some classes of Advertisements, S.

The above are charges per agate line The above are charges per again into-acous eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may beed advertisements at the same rate per agate line, by measurements, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

Safety . Document . File

rys; removacio pocketa. o. 16 (2255(x11 in.), \$1.59; o. 26 (45(x5)(x11 in.), \$1.75

A. C. Barter Mfg. Co.





IMPERIAL BALL BEARING AXLE

97 PATTERN N.000 sets in use. Indused by the leading carriage builders. Reduces frection 75 per cra of two. Mechanically new work.

THE CHARTER GASOLINE ENGINE



rpose power is applied under the sun, and is

CHARTER GAS ENGINE CO. Box 148, Sterling, III.

DARAUIL CHBESLY&O CLAMPSALLANGLES (Nigeo)

The American Bell Telephone Company,

125 Milk Street, Boston, Mass.

This Company owns Letters-Patent No. 463,569, granted to Emile Berliner November 17, 1891, for a combined Telegraph and Telephone, covering all forms of Microphone Transmitters or contact Telephones.

BURNS ELECTRICITY.

The Chloride"

THE ELECTRIC PORTABLE LAMP CO., ELMIRA, N. Y.



Strictly high grade. Features—attractive, practical and substantial. Agencies offered for unoccupied territory.

Mrs. A. E. Ruehart, the Champion Lady Century Rider of America, will ride an "Olive" during season of W.

here's . A . Good . Ching! ALUMINUM LACQUER

trycie Spokes. Healty applied. them bright and they stay so will bring circular and com hol will bring you a brush and be ning enough for one machine. THE COLOPHITE MFG. CO. pewood Ave., New Haven, Conn.



Ride a Bicycle..



TO ALL ALIKE. Hartford Bicycles,

Next Best, \$60, \$55, \$50, \$45.

POPE MF6. CO., Hartford, Conn.

Catalogue free from any Columbia dealer; by m

Sometimes You Wonder

ycles whether it is profitable to handle a machine that lists below \$100. Look at the '97 "Patee," highest grade only, at \$60; made of the finest material throughout, with standard lines, narrow tread, large balls; in fact, all up-to-date improvements, and the handsomest finish on any machine. Absolutely and liberally guaranteed.

Write for Catalogue and Terms to Agents.
PEORIA RUBBER & MFG. CO., PEORIA, ILL.

Crump-Cyclometer

10,000 Mile Recorder. Made Entirely of Brass. Absolutely Accurate. No Steel Springs to Break. Cannot Jump the Figures. Parts are Interlocked. Registers Miles and Tenths of Mile. Correct in size to look well on wheel

M



The Crump | Clip.

The only Adjustable Clip made Can be adjusted to any angle of spoke. er Novo Art Catalo

The Waterbury Watch Co. WATERBURY, CONN.

PRIESTMAN SAFETY OIL ENGINE Choroughly successful commercial E eing a Safe Oil. — Franklin Institu Extra Insurance, No No Gas. No Gamline, Ne, Safe, Beodomical, On Son Safe, Secondos,

PRIESTMAN & CO., Incorp'd,
330 Bourse Bldg., PHILADELPHIA, PA.

a good HORSE AND

CARRIAGE you will be Interested

in our BELL ODOMETER

Davis, Stebbens & Co., 33 Sudbury St., Boston, Mass MANUFACTURE OF BICYCLES.-A

THOROUGH INSPECTIONS



THE LAMP THAT LEADS!

M & W 97.

MATTHEWS & WILLARD MFG. CO. NEW YORK OFFICE, 40 MURRAY STR

Nowadays

no one need go to Europe for a watch. The best are made right here in America by the AMERICAN WALTHAMWATCH COMPANY.

Two watch movements particularly recommended-"RIVERSIDE" and "ROYAL." All retail jewelers have them.

ribune æ

Tested and True.



The Ensiest Running Wheel in the World

THE BLACK MFG. CO.,



For Ladies' Bicycles. Light, Strong, Ornamenta more Forn or Greasy Dressee. No Troublesome L No Accidents. Infinitely superior to old style go Weight only 7 oz. Fits any wheel. Sent prepaid where in U. S. on receipt of \$1.50. Circulars fro THE TURNER BRASS WORKS, \$12 Kinate Street, Chic



HALF A CENTURY OF CYCLES.—AN meting history of the cycle from its origin ap nn time. The first crank-driven bicycle, no-shaker and its successors. The tricycle transham, Cycle building a series.



Any child can see at a glance the saving to the purchaser of the Waverley Bicycle. The famous model of last year is greatly im-We have no new machinery to buy.

Bicycle Co., India

JESSOP'S